



# PAVEMENT MANAGEMENT HISTORICAL PAVEMENT INDEX REPORT

Data from 1997 - 2006  
Compiled January, 2007

## District Two

Prepared by:  
Idaho Transportation Department  
Division of Planning and Programming



# DEFINITIONS OF TERMS USED IN THE ANNUAL INDEXLIST REPORT

**D:** The Idaho Transportation Department maintenance district number. It can be 1 - 6.

**Route:** The Route Number of the Highway (097 means State Highway 97, 084 means Interstate 84).

**MACS Code (Segment Code):** six-digit number that identifies the section of highway according to the code in the Milepost and Coded Segment (MACS) System.

**Beginning Milepost:** The milepost at the beginning of the test section of highway.

**Ending Milepost:** The milepost at the ending of the test section of highway.

**DIR:** Refers to direction of testing on a divided highway. Ascending means in the direction of ascending mileposts. Descending means the opposite direction.

**YEAR:** Shows the year to which the indices correspond.

**RI (Roughness Index):** Formally called PSI, this index is a 0 - 5 rating of the pavement section's roughness. This number is now obtained via profile measuring equipment.

**CI (Crack Index):** The CI is a rating similar to the RI, 5.0 corresponding to a section with little or no cracking and 0.0 representing sections with extreme cracking. Pavements are rated annually by the Pavement Management Engineer.

**SN (Skid Number):** A value (typically between 20 - 100) that represents a relative pavement friction index as measured by the locked-wheel skidmeter.

**FINAL INDEX:** This is the final pavement index for the section. It represents a weighted average of the CI and RI, based on factors such as traffic volume and traffic speed.

**REMARKS:** This area is to report any pavement related rehabilitation project for that pavement section and year. Also this area can be used for the user's own comments.

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	S.H.-3	001800	000.000	000.467	N	1997	2.80	4.00	34	3.46	0.17		
						1998	2.70	3.00	35	2.86	0.18		
						1999	2.70	3.00	42	2.86	0.20		
						2000	2.80	3.00	42	2.91	0.20		
						2001	2.70	3.00	32	2.86	0.20		
						2002	2.60	2.60	32	2.60	0.23		
						2003	2.50	2.60	32	2.55	0.20		
						2004	2.40	2.50	32	2.45	0.24		
						2005	2.50	2.50	00	2.50	0.24	SEALCOAT	2005
						2006	2.60	2.50	00	2.54	0.23		
2	S.H.-3	001800	000.467	002.484	N	1997	2.40	1.10	34	1.68	0.20		
						*1998	2.50	1.00	35	1.67	0.22		
						*1999	2.50	1.00	45	1.67	0.23		
						*2000	1.50	1.00	45	1.22	0.22		
						2001	3.10	1.00	47	1.94	0.11		
						2002	3.40	5.00	47	4.28	0.11		
						2003	3.40	5.00	47	4.28	0.10		
						2004	3.40	5.00	47	4.28	0.15		
						2005	3.40	5.00	00	4.28	0.14	SEALCOAT	2005
						2006	3.30	5.00	00	4.23	0.15		
2	S.H.-3	001800	002.502	004.580	N	1997	2.40	1.10	34	1.68	0.20		
						*1998	2.50	1.00	35	1.67	0.22		
						*1999	2.50	1.00	45	1.67	0.23		
						*2000	1.50	1.00	45	1.22	0.22		
						2001	3.70	1.00	51	2.21	0.05		
						2002	3.60	5.00	51	4.37	0.05		
						2003	3.50	5.00	51	4.32	0.07		
						2004	3.60	5.00	51	4.37	0.07		
						2005	3.60	5.00	00	4.37	0.05	SEALCOAT	2005
						2006	3.60	5.00	00	4.37	0.06		
2	S.H.-3	001800	004.580	004.906	N	1997	2.50	1.10	33	1.72	0.22		
						*1998	2.50	1.10	36	1.72	0.24		
						*1999	2.50	1.00	45	1.67	0.23		
						2000	3.50	5.00	46	4.32	0.13	MILL AND INLAY	2000
						2001	3.40	4.00	40	3.73	0.13		
						2002	3.50	4.00	40	3.77	0.16		
						*2003	3.50	4.00	40	3.77	0.16		
						2004	3.10	4.00	51	3.59	0.11		
						2005	3.30	4.00	00	3.68	0.10	SEALCOAT	2005
						2006	3.20	4.00	00	3.64	0.13		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	S.H.-3	001800	004.906	008.515	N	1997	4.00	4.50	44	4.27	0.08		
						*1998	4.00	4.50	37	4.27	0.11		
						*1999	3.70	4.50	43	4.16	0.11		
						2000	3.60	5.00	43	4.41	0.11	MILL AND INLAY	2000
						2001	3.70	4.50	36	4.16	0.11		
						2002	3.60	4.50	36	4.12	0.13		
						*2003	3.60	4.50	36	4.12	0.12	C.R.A.B.S.	2003
						2004	3.70	5.00	38	4.46	0.12		
						2005	3.50	5.00	00	4.37	0.13	SEALCOAT	2005
						2006	3.50	5.00	00	4.37	0.12		
2	S.H.-3	001800	008.515	012.275	N	1997	3.50	4.50	41	4.08	0.04		
						*1998	3.60	4.50	34	4.12	0.08		
						*1999	3.70	4.50	43	4.16	0.11		
						2000	3.60	5.00	43	4.41	0.11	MILL AND INLAY	2000
						2001	3.70	4.50	36	4.16	0.11		
						2002	3.60	4.50	36	4.12	0.13		
						*2003	3.60	4.50	36	4.12	0.12	C.R.A.B.S.	2003
						2004	3.90	5.00	36	4.54	0.14		
						2005	3.70	5.00	00	4.45	0.13	SEALCOAT	2005
						2006	3.70	5.00	00	4.45	0.13		
2	S.H.-3	001800	012.275	012.400	N	1997	3.50	4.50	41	4.08	0.04	SEALCOAT	1997
						*1998	3.60	4.50	34	4.12	0.08		
						*1999	3.70	4.50	43	4.16	0.11		
						2000	4.00	4.80	43	4.47	0.20		
						2001	3.40	4.80	36	4.21	0.19		
						2002	3.30	4.70	36	4.11	0.20		
						2003	3.30	4.70	36	4.11	0.22		
						2004	3.20	3.60	36	3.43	0.24		
						2005	3.20	3.60	00	3.43	0.26	SEALCOAT	2005
						2006	3.20	3.60	00	3.43	0.20		
2	S.H.-3	001800	012.400	013.660	N	1997	3.20	1.40	41	2.12	0.10	SEALCOAT	1997
						*1998	3.30	5.00	38	4.29	0.15		
						1999	2.80	5.00	49	4.08	0.12		
						2000	2.80	4.80	49	3.99	0.13		
						2001	2.70	4.80	47	3.92	0.16		
						2002	2.70	4.80	47	3.92	0.20		
						2003	2.70	4.80	47	3.92	0.17		
						2004	2.70	4.80	47	3.92	0.20		
						2005	2.70	4.80	00	3.92	0.19		
						2006	2.60	4.80	00	3.88	0.20		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	S.H.-3	001800	013.840	016.100	N	1997	3.20	3.80	35	3.53	0.17	SEALCOAT	1997
						1998	3.20	3.80	35	3.53	0.21		
						1999	3.10	3.80	43	3.48	0.20		
						2000	3.20	3.80	43	3.53	0.20		
						2001	3.10	3.80	37	3.49	0.25		
						2002	3.00	3.80	37	3.44	0.28		
						2003	3.10	3.80	37	3.49	0.18		
						2004	3.00	3.80	37	3.44	0.23		
						2005	2.90	3.80	00	3.40	0.23		
						2006	2.90	3.80	00	3.40	0.27		
2	S.H.-3	001800	016.100	017.850	N	1997	2.80	2.10	50	2.41	0.11	SEALCOAT	1997
						1998	2.80	2.10	39	2.41	0.10		
						1999	2.70	2.10	48	2.36	0.09	SEALCOAT	1999
						2000	2.80	2.10	48	2.40	0.10		
						2001	2.70	2.10	41	2.36	0.12		
						2002	2.80	2.10	41	2.40	0.14		
						2003	2.90	2.10	41	2.45	0.13		
						2004	3.00	2.10	41	2.49	0.13		
						2005	3.10	2.10	00	2.53	0.13		
						2006	3.00	2.10	00	2.49	0.14		
2	S.H.-3	001800	018.000	022.413	N	1997	3.20	2.40	46	2.75	0.06	SEALCOAT	1999
						1998	3.20	2.30	46	2.69	0.07		
						1999	3.60	5.00	42	4.38	0.07		
						2000	3.60	5.00	42	4.38	0.04		
						2001	3.60	5.00	57	4.38	0.04		
						2002	3.60	4.70	57	4.21	0.05		
						2003	3.50	4.70	57	4.17	0.05		
						2004	3.50	4.70	57	4.17	0.06		
						2005	3.50	3.70	00	3.61	0.06		
						2006	3.40	3.70	00	3.56	0.07		
2	S.H.-3	001800	022.413	025.594	N	1997	2.70	3.30	41	3.03	0.16	SEALCOAT	1999
						1998	2.70	3.30	41	3.03	0.22		
						1999	3.00	5.00	46	4.12	0.10		
						2000	3.00	5.00	46	4.12	0.08		
						2001	3.00	4.50	53	3.84	0.09		
						2002	3.20	4.50	53	3.92	0.10		
						2003	3.20	4.50	53	3.92	0.10		
						2004	3.10	4.50	53	3.88	0.12		
						2005	3.20	4.50	00	3.92	0.10		
						2006	3.10	4.50	00	3.88	0.12		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	S.H.-3	001800	025.594	029.000	N	1997	3.00	3.30	47	3.17	0.07	SEALCOAT	1999
						1998	3.00	3.10	47	3.05	0.07		
						1999	3.50	5.00	47	4.37	0.05		
						2000	3.40	5.00	47	4.35	0.04		
						2001	3.40	4.50	53	4.05	0.05		
						2002	3.30	4.50	53	4.01	0.07		
						2003	3.30	4.50	53	4.01	0.06		
						2004	3.20	4.20	53	3.79	0.08		
						2005	3.20	4.00	00	3.67	0.06		
						2006	3.20	3.80	00	3.55	0.10		
2	S.H.-3	001800	039.000	039.465	N	1997	2.50	1.30	39	1.78	0.18	SEALCOAT	1997
						1998	2.30	1.30	39	1.71	0.20		
						1999	2.20	1.30	44	1.67	0.19		
						2000	2.30	1.30	44	1.71	0.22		
						2001	2.30	1.30	44	1.71	0.21		
						2002	1.90	3.30	44	2.72	0.19		
						2003	1.80	3.30	46	2.67	0.21		
						2004	2.20	2.40	46	2.31	0.20		
						2005	2.20	2.40	00	2.31	0.25		
						2006	2.00	2.40	00	2.23	0.27		
2	S.H.-3	001800	039.465	048.236	N	1997	2.90	2.80	36	2.84	0.19	SEALCOAT	1997
						1998	2.90	2.80	36	2.84	0.17		
						1999	2.70	2.40	46	2.53	0.17		
						2000	2.90	2.20	46	2.50	0.16		
						2001	2.90	2.20	39	2.50	0.16		
						2002	2.80	2.20	39	2.46	0.17		
						2003	2.80	2.20	39	2.46	0.17		
						2004	2.80	2.20	39	2.46	0.19		
						2005	4.00	5.00	00	4.57	0.04		
						2006	3.80	5.00	00	4.47	0.06		
2	S.H.-3	001870	026.317	036.310	N	1997	3.70	4.50	32	4.16	0.06		
						1998	3.70	4.50	32	4.16	0.04		
						1999	3.60	4.50	52	4.12	0.04		
						2000	3.70	4.50	52	4.16	0.04		
						2001	3.70	4.50	46	4.16	0.06		
						2002	3.70	4.50	46	4.16	0.06		
						2003	3.70	4.50	46	4.16	0.06		
						2004	3.60	4.00	46	3.83	0.07		
2005	3.70	3.80	00	3.75	0.06								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	S.H.-3	001870	036.270	043.000	N	1997	3.70	4.50	32	4.16	0.06	
						1998	3.70	4.50	32	4.16	0.04	
						1999	3.60	4.50	52	4.12	0.04	
						2000	3.70	4.50	52	4.16	0.04	
						2001	3.70	4.50	46	4.16	0.06	
						2002	3.70	4.50	46	4.16	0.06	SEALCOAT
						2003	3.70	4.50	46	4.16	0.06	
						2004	3.60	4.00	46	3.83	0.07	
						2005	3.70	3.80	00	3.75	0.06	
						2006	3.70	3.80	00	3.75	0.06	2002
2	S.H.-6	001840	100.000	104.420	N	1997	2.60	1.50	53	1.95	0.23	
						1998	2.80	1.50	45	2.03	0.22	
						1999	2.80	1.50	57	2.03	0.22	
						2000	2.90	1.50	57	2.07	0.18	
						2001	2.90	1.50	58	2.07	0.16	
						2002	2.90	2.60	58	2.72	0.16	
						2003	2.90	2.60	58	2.72	0.16	
						2004	2.80	2.40	58	2.56	0.16	
						2005	2.80	1.90	00	2.27	0.18	
						2006	2.70	1.90	00	2.23	0.17	
2	S.H.-6	001850	000.000	001.291	N	1997	3.70	4.80	42	4.34	0.11	
						1998	3.60	4.80	42	4.29	0.14	
						1999	3.60	4.80	39	4.29	0.18	
						2000	3.60	4.80	39	4.29	0.20	
						2001	3.60	4.80	27	4.29	0.20	
						2002	3.40	4.80	27	4.21	0.24	
						2003	3.50	4.80	27	4.25	0.28	
						2004	3.30	4.80	27	4.17	0.31	
						2005	3.30	4.80	00	4.17	0.30	
						2006	3.30	4.80	00	4.17	0.32	
2	S.H.-6	001850	001.291	002.250	N	1997	3.60	4.80	36	4.34	0.15	
						1998	3.50	4.80	36	4.30	0.17	
						1999	3.50	4.80	44	4.30	0.21	
						2000	3.50	4.80	44	4.30	0.25	
						2001	3.40	4.80	31	4.26	0.26	
						2002	3.40	4.80	31	4.26	0.34	
						2003	3.40	4.80	31	4.26	0.35	
						2004	3.20	4.80	31	4.19	0.35	
2005	3.20	4.80	00	4.19	0.38							
2006	3.20	4.80	00	4.19	0.39							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	S.H.-6	001850	002.250	004.332	N	1997	3.70	4.80	47	4.34	0.09	
						1998	3.60	4.80	47	4.30	0.12	
						1999	3.70	4.80	47	4.34	0.14	
						2000	3.70	4.80	47	4.34	0.15	
						2001	3.60	4.80	30	4.30	0.17	
						2002	3.60	4.80	30	4.30	0.16	
						2003	3.60	4.80	30	4.30	0.20	
						2004	3.60	4.80	30	4.30	0.17	
						2005	3.60	4.80	00	4.30	0.18	
						2006	3.50	4.80	00	4.25	0.20	
2	S.H.-6	001850	004.332	005.450	N	1997	3.90	4.80	45	4.47	0.08	
						1998	3.90	4.80	45	4.47	0.10	
						1999	3.80	4.80	40	4.42	0.12	
						2000	3.90	4.80	40	4.47	0.12	
						2001	3.90	4.80	31	4.47	0.15	
						2002	3.70	4.80	31	4.40	0.15	
						2003	3.70	4.80	31	4.40	0.15	
						2004	3.70	4.80	31	4.40	0.13	
						2005	3.70	4.80	00	4.40	0.12	
						2006	3.70	4.80	00	4.40	0.15	
2	S.H.-6	001850	005.450	009.888	N	1997	3.90	4.80	45	4.42	0.08	
						*1998	3.90	4.80	45	4.42	0.10	
						1999	3.80	4.80	43	4.39	0.11	SEALCOAT 1999
						2000	3.90	4.80	43	4.42	0.11	
						2001	3.80	4.80	31	4.38	0.14	
						2002	3.70	4.80	31	4.34	0.15	
						2003	3.70	4.80	31	4.34	0.14	
						2004	3.60	4.80	31	4.30	0.12	
						2005	3.70	4.80	00	4.34	0.11	
						2006	3.60	4.80	00	4.30	0.12	
2	S.H.-6	001850	009.888	017.157	N	1997	3.60	4.50	31	4.15	0.16	
						1998	3.40	4.50	31	4.07	0.21	
						1999	3.40	4.50	79	4.07	0.25	SEALCOAT 1999
						2000	3.50	4.00	79	3.79	0.20	
						2001	3.40	4.00	46	3.75	0.24	
						2002	3.40	4.00	46	3.75	0.25	
						2003	3.30	4.00	46	3.71	0.25	
						2004	3.30	4.00	46	3.71	0.28	
						2005	3.30	4.00	00	3.71	0.28	
						2006	3.20	4.00	00	3.67	0.26	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	S.H.-6	001850	017.157	020.286	N	1997	3.00	1.80	44	2.26	0.14		
						1998	2.60	1.80	44	2.10	0.14		
						1999	3.60	5.00	75	4.45	0.03	MINOR WIDENING	1999
						2000	3.70	3.50	75	3.58	0.04		
						2001	3.60	3.50	35	3.54	0.04		
						2002	3.70	3.50	35	3.58	0.05		
						2003	3.70	3.50	35	3.58	0.04		
						2004	3.70	3.50	35	3.58	0.05		
						2005	3.70	3.50	00	3.58	0.05	C.R.A.B.S.	2005
						2006	3.60	3.50	00	3.54	0.06		
2	S.H.-7	001920	049.280	049.455	N	*1997	0.80	2.50	35	1.84	0.33		
						1998	1.50	2.50	41	2.11	0.34		
						1999	0.70	5.00	41	3.33	0.06		
						2000	0.60	4.00	41	2.68	0.06		
						2001	0.60	4.00	41	2.68	0.07		
						2002	1.00	4.00	35	2.83	0.10		
						2003	0.90	4.00	35	2.80	0.10		
						2004	0.80	4.00	35	2.76	0.11		
						2005	1.00	4.00	00	2.83	0.11		
						2006	0.90	4.00	00	2.80	0.15		
2	S.H.-7	001920	049.455	049.952	N	*1997	2.00	1.60	36	1.75	0.33		
						*1998	4.00	5.00	58	4.58	0.12	PLANT MIX OVERLAY	1998
						1999	1.90	5.00	45	3.80	0.12		
						2000	1.70	5.00	45	3.73	0.16		
						2001	1.70	5.00	36	3.73	0.18		
						2002	1.60	5.00	36	3.69	0.17		
						2003	1.60	5.00	36	3.69	0.19		
						2004	1.40	5.00	36	3.61	0.22		
						2005	1.40	5.00	00	3.61	0.24		
						2006	1.40	5.00	00	3.61	0.27		
2	S.H.-7	001920	049.952	050.886	N	*1997	2.00	2.30	36	2.17	0.37	NEW CONST OR RECONST (FLEX)	1997
						*1998	4.00	5.00	58	4.58	0.12	PLANT MIX OVERLAY	1998
						1999	2.60	5.00	37	4.00	0.07		
						2000	2.60	5.00	37	4.00	0.07		
						2001	2.60	5.00	38	4.00	0.10		
						2002	2.70	5.00	38	4.04	0.09		
						2003	2.60	5.00	38	4.00	0.10		
						2004	2.60	5.00	38	4.00	0.13		
						2005	2.60	5.00	00	4.00	0.13		
						2006	2.50	5.00	00	3.96	0.20		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	S.H.-7	001920	050.886	053.016	N	1997	2.90	5.00	46	4.20	0.05	NEW CONST OR RECONST (FLEX)	1997
						1998	2.90	5.00	59	4.20	0.09		
						1999	2.80	5.00	49	4.16	0.06		
						2000	2.80	4.00	49	3.54	0.06		
						2001	2.80	4.00	47	3.54	0.06		
						2002	3.00	4.00	47	3.62	0.06		
						2003	3.00	4.00	47	3.62	0.07		
						2004	3.00	4.00	47	3.62	0.07		
						2005	2.90	4.00	00	3.58	0.08		
						2006	2.90	4.00	00	3.58	0.09		
2	S.H.-7	001920	053.016	053.346	N	1997	1.80	2.00	46	1.92	0.26		
						1998	1.50	2.00	59	1.81	0.30		
						1999	3.30	2.00	49	2.49	0.03		
						2000	2.80	2.00	49	2.30	0.05		
						2001	2.80	5.00	47	4.16	0.05		
						2002	3.00	5.00	47	4.24	0.06		
						2003	3.10	5.00	47	4.28	0.06		
						2004	3.00	5.00	47	4.24	0.07		
						2005	3.10	5.00	00	4.28	0.07		
						2006	3.00	5.00	00	4.24	0.07		
2	S.H.-8	001870	000.000	000.307	N	1997	3.00	2.70	35	2.84	0.08		
						1998	2.70	5.00	35	3.92	0.08		
						1999	2.60	5.00	35	3.87	0.07	SEALCOAT	1999
						2000	2.60	5.00	49	3.87	0.09		
						2001	2.50	5.00	33	3.82	0.09		
						2002	2.90	5.00	33	4.00	0.15		
						2003	2.90	5.00	33	4.00	0.13		
						2004	2.80	5.00	33	3.95	0.19		
						2005	2.80	5.00	00	3.95	0.19		
						2006	2.80	5.00	00	3.95	0.23		
2	S.H.-8	001870	000.307	000.726	N	1997	3.30	2.70	34	2.96	0.10		
						1998	3.30	5.00	17	4.25	0.17		
						1999	3.20	5.00	22	4.20	0.14	SEALCOAT	1999
						2000	3.30	5.00	22	4.25	0.19		
						2001	3.10	5.00	27	4.16	0.16		
						2002	3.20	5.00	27	4.20	0.21		
						2003	3.20	5.00	27	4.20	0.20		
						2004	3.20	5.00	27	4.19	0.27		
						2005	3.20	5.00	00	4.20	0.26		
						2006	3.20	5.00	00	4.20	0.30		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	S.H.-8	001870	000.726	001.334	N	1997	3.10	2.80	35	2.93	0.04	SEALCOAT	1999
						1998	2.90	5.00	24	4.06	0.12		
						1999	2.90	5.00	27	4.06	0.12		
						2000	3.00	5.00	27	4.10	0.19		
						2001	2.90	5.00	32	4.06	0.18		
						2002	2.80	5.00	32	4.01	0.25		
						2003	2.80	5.00	32	4.01	0.19		
						2004	2.50	5.00	32	3.88	0.23		
						2005	2.50	5.00	00	3.88	0.22		
						2006	2.60	5.00	00	3.92	0.30		
2	S.H.-8	001870	001.334	001.609	N	1997	2.40	3.70	43	3.11	0.10	SEALCOAT	1999
						1998	2.00	5.00	36	3.66	0.17		
						1999	2.10	5.00	36	3.70	0.14		
						2000	2.20	4.50	36	3.47	0.21		
						2001	2.00	4.50	37	3.38	0.18		
						2002	2.40	4.50	37	3.56	0.23		
						2003	2.30	4.50	37	3.51	0.23		
						2004	2.50	4.50	37	3.61	0.24		
						2005	2.50	4.50	00	3.61	0.25		
						2006	2.40	4.50	00	3.56	0.31		
2	S.H.-8	001870	001.609	001.797	N	1997	2.80	2.20	43	2.47	0.14		
						1998	2.40	2.20	43	2.29	0.16		
						1999	2.40	3.50	43	3.00	0.16		
						2000	2.40	3.50	36	3.00	0.17		
						2001	2.50	3.50	37	3.04	0.18		
						2002	2.20	3.30	37	2.80	0.18		
						2003	2.10	3.30	37	2.76	0.16		
						2004	2.70	3.30	37	3.03	0.26		
						2005	2.60	3.30	00	2.98	0.25		
						2006	2.70	3.30	00	3.03	0.31		
2	S.H.-8	001870	001.797	001.917	N	1997	1.30	2.20	39	1.80	0.21		
						1998	1.20	2.20	39	1.75	0.23		
						1999	1.10	2.20	39	1.71	0.27		
						2000	0.90	2.20	36	1.62	0.24		
						2001	1.10	2.20	37	1.71	0.29		
						2002	0.90	2.20	37	1.63	0.37		
						2003	0.70	2.20	37	1.54	0.33		
						2004	1.20	2.20	37	1.76	0.25		
						2005	1.20	2.20	00	1.76	0.20		
						2006	1.20	2.20	00	1.76	0.29		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	S.H.-8	001870	002.235	002.429	N	1997	3.30	4.00	36	3.71	0.30		
						1998	2.90	3.50	36	3.25	0.37		
						*1999	2.90	3.50	25	3.25	0.44		
						2000	2.00	5.00	45	3.79	0.11		
						2001	2.80	5.00	37	4.11	0.11		
						2002	2.00	5.00	37	3.79	0.15		
						2003	1.90	5.00	37	3.75	0.19		
						2004	1.90	5.00	37	3.75	0.19		
						2005	1.90	5.00	00	3.74	0.29	SEALCOAT	2005
						2006	1.90	5.00	00	3.74	0.31		
2	S.H.-8	001870	002.429	002.730	N	1997	3.30	4.00	36	3.71	0.30		
						1998	2.90	3.50	36	3.25	0.37		
						*1999	2.90	3.50	25	3.25	0.44		
						2000	3.40	3.50	25	3.45	0.63		
						2001	3.20	3.50	28	3.37	0.41		
						2002	3.10	3.40	28	3.27	0.59		
						2003	3.20	3.40	28	3.31	0.61		
						2004	3.10	2.60	28	2.80	0.65		
						2005	2.90	2.60	00	2.71	0.65	SEALCOAT	2005
						2006	3.00	2.60	00	2.75	0.74		
2	S.H.-8	001870	002.730	003.280	N	1997	3.30	4.00	37	3.72	0.09		
						1998	3.20	4.00	37	3.68	0.11		
						1999	3.10	3.90	31	3.58	0.21		
						2000	3.40	3.90	31	3.70	0.22		
						2001	3.00	3.90	29	3.54	0.15		
						2002	3.10	2.50	29	2.73	0.39		
						2003	3.00	2.50	29	2.69	0.37		
						2004	3.10	2.10	29	2.49	0.29		
						2005	2.90	2.10	00	2.41	0.30	SEALCOAT	2005
						2006	2.70	2.10	00	2.33	0.36		
2	S.H.-8	001870	003.280	004.414	N	1997	3.50	4.00	40	3.78	0.16		
						1998	3.50	4.00	40	3.78	0.15		
						1999	3.30	4.00	33	3.70	0.20		
						2000	3.40	3.80	33	3.63	0.20		
						2001	3.40	3.80	31	3.63	0.23		
						2002	3.40	3.80	31	3.63	0.29		
						2003	3.40	3.80	31	3.63	0.26		
						2004	3.40	2.40	31	2.82	0.33		
						2005	3.00	2.40	00	2.65	0.21	SEALCOAT	2005
						2006	3.10	2.40	00	2.69	0.19		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	S.H.-8	001870	004.414	005.050	N	1997	3.60	3.00	41	3.26	0.10		
						*1998	3.50	3.00	41	3.22	0.15		
						1999	3.10	3.00	34	3.04	0.21		
						2000	3.40	3.00	34	3.18	0.25		
						2001	3.40	3.00	43	3.18	0.20		
						2002	3.30	3.00	43	3.13	0.18		
						2003	3.20	3.00	43	3.09	0.17		
						2004	3.20	2.40	43	2.76	0.17		
						2005	3.10	2.40	00	2.69	0.20	SEALCOAT	2005
						2006	3.20	2.40	00	2.73	0.23		
2	S.H.-8	001870	005.050	010.630	N	1997	3.60	3.00	41	3.26	0.10		
						*1998	3.50	3.00	41	3.22	0.15		
						1999	3.60	5.00	64	4.37	0.13	PLANT MIX OVERLAY	1999
						2000	3.70	5.00	64	4.41	0.12		
						2001	3.70	5.00	33	4.41	0.17		
						2002	3.60	5.00	33	4.37	0.21		
						2003	3.60	5.00	33	4.37	0.21		
						2004	3.60	5.00	33	4.37	0.22		
						2005	3.50	5.00	00	4.32	0.22	SEALCOAT	2005
						2006	3.50	5.00	00	4.32	0.25		
2	S.H.-8	001870	010.630	014.273	N	1997	3.70	3.40	39	3.52	0.11		
						1998	3.70	3.40	39	3.52	0.14		
						1999	3.60	3.40	36	3.48	0.17		
						2000	3.60	3.40	36	3.48	0.17		
						*2001	3.60	3.40	37	3.48	0.18		
						2002	3.90	5.00	37	4.53	0.14	PLANT MIX OVERLAY	2002
						*2003	3.70	5.00	37	4.45	0.12		
						2004	3.70	5.00	37	4.45	0.15		
						2005	3.60	5.00	00	4.41	0.16	SEALCOAT	2005
						2006	3.60	5.00	00	4.41	0.14		
2	S.H.-8	001870	014.273	014.572	N	1997	2.40	1.20	47	1.70	0.13		
						1998	2.40	1.20	47	1.70	0.17		
						1999	1.80	1.20	52	1.45	0.20		
						2000	1.30	1.20	52	1.24	0.17		
						2001	1.40	1.20	56	1.28	0.16		
						2002	3.30	5.00	56	4.29	0.06	LEVELING COURSE	2002
						2003	3.30	5.00	56	4.29	0.06		
						2004	3.30	5.00	56	4.29	0.07		
						2005	3.10	5.00	00	4.20	0.07	SEALCOAT	2005
						2006	3.00	5.00	00	4.16	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	S.H.-8	001870	014.572	017.440	N	1997	3.60	4.80	39	4.26	0.07		
						1998	3.50	4.80	39	4.21	0.08		
						1999	3.40	4.80	36	4.17	0.11		
						2000	3.50	4.80	36	4.21	0.11		
						2001	3.40	4.80	37	4.17	0.13		
						2002	3.50	4.80	37	4.21	0.16		
						2003	3.40	4.80	37	4.17	0.15		
						2004	3.40	4.10	37	3.78	0.16		
						2005	3.30	4.10	00	3.74	0.13	SEALCOAT	2005
						2006	3.30	4.10	00	3.74	0.16		
2	S.H.-8	001870	017.520	025.796	N	1997	3.80	4.80	37	4.35	0.06		
						1998	3.80	4.80	37	4.35	0.07		
						1999	3.70	4.80	39	4.30	0.10		
						2000	3.70	4.80	39	4.30	0.09		
						2001	3.70	4.60	40	4.19	0.11		
						2002	3.60	4.60	40	4.15	0.15		
						2003	3.60	4.60	40	4.15	0.14		
						2004	3.50	4.10	40	3.83	0.13		
						2005	3.40	4.10	00	3.78	0.12	SEALCOAT	2005
						2006	3.50	4.10	00	3.83	0.14		
2	S.H.-8	001870	025.796	026.317	N	1997	3.80	4.40	36	4.15	0.07		
						1998	3.80	4.40	36	4.15	0.11		
						1999	3.70	4.40	44	4.10	0.14		
						2000	3.70	4.40	44	4.10	0.12		
						2001	3.70	4.40	49	4.10	0.13		
						2002	3.60	4.40	49	4.06	0.17		
						2003	3.60	4.40	49	4.06	0.16		
						2004	3.60	4.40	49	4.06	0.20		
						2005	3.50	4.40	00	4.02	0.17	SEALCOAT	2005
						2006	3.50	4.40	00	4.02	0.15		
2	S.H.-8	001870	026.317	036.310	N	2006	3.60	3.80	00	3.71	0.07		
2	S.H.-8	001870	036.270	043.000	N	2006	3.40	3.00	00	3.16	0.09		
2	S.H.-8	001870	043.110	043.700	N	1997	3.50	4.50	42	4.08	0.09		
						1998	3.40	4.50	42	4.04	0.05		
						1999	3.30	4.50	57	4.00	0.04		
						2000	3.40	4.50	57	4.04	0.05		
						2001	3.40	4.50	50	4.05	0.04		
						2002	3.60	4.50	50	4.13	0.04	SEALCOAT	2002
						2003	3.50	4.50	50	4.09	0.03		
						2004	3.60	4.50	50	4.13	0.04		
						2005	3.60	4.50	00	4.13	0.05		
2006	3.50	4.30	00	3.97	0.07								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	S.H.-8	001870	043.700	048.685	N	1997	3.20	2.40	50	2.72	0.06	
						1998	3.10	2.40	50	2.68	0.07	
						1999	2.90	3.00	40	2.95	0.07	
						2000	3.10	2.90	40	2.98	0.07	
						2001	3.10	2.90	44	2.98	0.08	
						2002	3.00	2.90	44	2.94	0.08	SEALCOAT
						2003	2.80	2.90	44	2.85	0.06	
						2004	2.80	2.90	44	2.85	0.07	
						2005	2.90	2.90	00	2.90	0.06	
						2006	2.90	2.90	00	2.90	0.09	
2	S.H.-8	001870	048.685	053.589	N	1997	3.20	2.50	51	2.76	0.09	
						1998	3.10	2.50	51	2.72	0.10	
						1999	3.00	2.50	45	2.68	0.11	
						2000	3.10	2.30	45	2.60	0.10	
						2001	3.00	2.30	41	2.55	0.11	
						2002	2.90	2.30	41	2.52	0.11	SEALCOAT
						2003	2.80	2.30	41	2.48	0.08	
						2004	2.80	2.30	41	2.48	0.10	
						2005	2.90	2.30	00	2.52	0.10	
						2006	2.90	2.30	00	2.52	0.12	
2	S.H.-9	001860	000.000	003.630	N	1997	3.40	3.30	54	3.34	0.19	
						1998	3.30	3.30	55	3.30	0.17	
						1999	3.30	1.80	57	2.41	0.22	
						2000	3.10	1.80	57	2.33	0.07	
						2001	3.10	1.80	42	2.32	0.05	
						2002	3.10	3.00	42	3.04	0.08	
						2003	3.10	3.00	42	3.04	0.08	
						2004	3.10	3.00	42	3.04	0.09	
						2005	3.10	3.00	00	3.04	0.07	
						2006	3.00	3.00	00	3.00	0.12	
2	S.H.-9	001860	003.630	007.300	N	1997	2.80	2.80	53	2.80	0.11	
						1998	2.60	2.80	57	2.71	0.09	
						1999	2.40	2.80	51	2.63	0.11	
						2000	3.30	2.80	51	3.00	0.04	
						2001	3.10	2.80	51	2.92	0.04	
						2002	3.10	2.80	51	2.92	0.04	
						2003	3.10	2.80	51	2.92	0.03	
						2004	3.00	2.80	51	2.88	0.04	
						2005	2.90	2.80	00	2.84	0.06	
						2006	2.90	2.80	00	2.84	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	S.H.-9	001860	007.300	013.522	N	1997	3.20	3.90	50	3.61	0.11		
						1998	3.10	3.90	51	3.56	0.11		
						1999	3.10	3.90	48	3.56	0.13		
						2000	3.10	3.50	48	3.33	0.11		
						2001	3.10	3.50	42	3.33	0.12		
						2002	2.90	3.30	42	3.13	0.14		
						2003	2.90	3.00	42	2.95	0.14		
						2004	2.80	3.00	42	2.91	0.10		
						2005	2.80	3.00	00	2.91	0.12		
						2006	2.70	3.00	00	2.87	0.13		
2	S.H.-11	001930	000.000	002.750	N	1997	3.10	4.20	49	3.78	0.13		
						1998	3.20	4.20	49	3.82	0.16		
						1999	3.20	4.20	40	3.82	0.14		
						2000	3.30	4.20	40	3.86	0.16		
						2001	3.20	4.20	42	3.82	0.16		
						2002	3.10	4.20	42	3.78	0.17		
						2003	3.00	4.20	42	3.74	0.15		
						2004	3.00	4.20	42	3.74	0.16	SEALCOAT	2004
						2005	3.00	4.20	00	3.74	0.16		
						2006	2.90	4.20	00	3.70	0.17		
2	S.H.-11	001930	002.750	007.900	N	1997	3.00	4.00	47	3.62	0.11		
						1998	3.00	4.00	47	3.62	0.12		
						1999	2.80	4.00	41	3.54	0.12		
						2000	3.00	4.00	41	3.62	0.13		
						2001	2.90	4.00	53	3.58	0.13		
						*2002	2.90	4.00	53	3.58	0.13		
						2003	3.10	4.00	47	3.66	0.12		
						2004	3.10	4.00	47	3.66	0.12	SEALCOAT	2004
						2005	3.10	4.00	00	3.66	0.11		
						2006	3.10	4.00	00	3.66	0.12		
2	S.H.-11	001930	007.900	012.794	N	1997	3.20	3.40	45	3.31	0.15		
						1998	3.20	3.40	45	3.31	0.17		
						1999	3.20	3.40	65	3.31	0.16	SEALCOAT	1999
						2000	3.20	3.40	65	3.31	0.13		
						2001	3.20	3.40	44	3.31	0.13		
						2002	3.30	3.40	44	3.35	0.16		
						2003	3.20	3.40	44	3.31	0.16		
						2004	3.20	3.40	44	3.31	0.18	SEALCOAT	2004
						2005	3.20	3.40	00	3.31	0.17		
						2006	3.30	3.40	00	3.35	0.20		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	S.H.-11	001930	012.794	017.667	N	1997	3.80	3.50	44	3.62	0.15	
						1998	3.70	3.50	44	3.58	0.16	
						1999	3.60	3.50	67	3.54	0.18	SEALCOAT
						2000	3.70	3.50	67	3.57	0.14	
						2001	3.70	3.50	47	3.58	0.13	
						2002	3.70	3.50	47	3.58	0.19	
						2003	3.60	3.50	47	3.54	0.19	
						2004	3.60	3.50	47	3.54	0.18	
						2005	3.60	3.50	00	3.54	0.19	
						2006	3.50	3.50	00	3.50	0.18	
2	S.H.-11	001930	017.667	018.678	N	1997	3.00	3.50	40	3.31	0.26	
						1998	2.90	3.30	40	3.14	0.30	
						1999	3.10	3.30	65	3.22	0.24	SEALCOAT
						2000	3.20	3.30	65	3.26	0.21	
						2001	3.10	3.30	41	3.22	0.26	
						2002	3.20	3.30	41	3.26	0.28	SEALCOAT
						2003	3.20	3.30	41	3.26	0.30	
						2004	3.20	3.30	41	3.26	0.29	
						2005	3.20	3.30	00	3.26	0.33	
						2006	3.20	3.30	00	3.26	0.35	
2	S.H.-11	001930	018.678	023.143	N	1997	3.60	5.00	34	4.42	0.06	SEALCOAT
						1998	3.50	4.80	34	4.26	0.08	
						1999	3.50	4.80	34	4.26	0.09	
						2000	3.50	4.50	34	4.08	0.09	
						2001	3.60	4.50	23	4.12	0.12	
						2002	3.50	4.50	23	4.08	0.12	SEALCOAT
						2003	3.50	4.50	23	4.08	0.14	
						2004	3.40	4.50	23	4.04	0.15	
						2005	3.40	4.50	00	4.04	0.14	SEALCOAT
						2006	3.40	4.50	00	4.04	0.16	
2	S.H.-11	001930	023.143	025.256	N	1997	3.00	1.50	43	2.12	0.19	SEALCOAT
						*1998	2.90	1.50	43	2.07	0.20	
						1999	3.00	1.50	34	2.12	0.19	
						2000	3.10	1.40	34	2.04	0.19	
						2001	3.10	1.40	40	2.10	0.19	
						*2002	3.10	1.40	40	2.10	0.20	
						2003	3.30	5.00	39	4.29	0.23	C.R.A.B.S.
						2004	3.10	5.00	39	4.21	0.16	
						2005	3.00	5.00	00	4.17	0.17	SEALCOAT
						2006	3.10	5.00	00	4.21	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	S.H.-11	001930	025.256	029.334	N	1997	3.00	1.50	43	2.12	0.19	SEALCOAT	1997
						*1998	2.90	1.50	43	2.07	0.20		
						1999	3.00	1.50	34	2.12	0.19		
						2000	3.10	1.40	34	2.04	0.19		
						2001	3.10	1.40	40	2.10	0.19		
						*2002	3.10	1.40	40	2.10	0.20		
						2003	3.00	1.40	41	2.06	0.22		
						2004	3.00	1.40	41	2.06	0.22		
						2005	3.10	1.40	00	2.10	0.19		
						2006	3.00	1.40	00	2.06	0.19		
2	S.H.-11	001930	029.334	029.540	N	1997	3.30	1.50	49	2.17	0.19		
						*1998	3.30	1.50	49	2.17	0.22		
						1999	1.60	5.00	55	3.71	0.13	NEW CONST OR RECONST (FLEX)	1999
						2000	3.40	5.00	55	4.39	0.12		
						2001	3.50	5.00	43	4.43	0.14		
						2002	3.20	5.00	43	4.32	0.17		
						2003	3.10	5.00	43	4.28	0.16		
						2004	3.10	5.00	43	4.28	0.22		
						2005	3.30	5.00	00	4.35	0.23		
						2006	3.10	5.00	00	4.28	0.20		
2	S.H.-11	001930	029.540	034.118	N	1997	2.60	1.50	43	1.95	0.26		
						*1998	1.40	5.00	43	3.51	0.31		
						*1999	2.70	5.00	34	4.05	0.10	PLANT MIX OVERLAY	1999
						2000	3.30	5.00	34	4.29	0.05		
						2001	3.30	5.00	55	4.29	0.04		
						2002	3.40	5.00	55	4.33	0.05		
						2003	3.40	5.00	55	4.33	0.05		
						2004	3.40	5.00	55	4.33	0.06		
						2005	3.40	5.00	00	4.33	0.06		
						2006	3.30	5.00	00	4.29	0.07		
2	S.H.-11	001930	034.177	035.164	N	1997	2.60	1.50	43	1.95	0.26		
						*1998	1.40	5.00	43	3.51	0.31		
						*1999	2.70	5.00	34	4.05	0.10	PLANT MIX OVERLAY	1999
						2000	3.40	5.00	36	4.33	0.07		
						2001	3.40	5.00	52	4.33	0.05		
						2002	3.60	5.00	52	4.42	0.06		
						2003	3.60	5.00	52	4.42	0.07		
						2004	3.50	5.00	52	4.38	0.08		
						2005	3.50	5.00	00	4.38	0.08		
						2006	3.50	5.00	00	4.38	0.10		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	S.H.-11	001930	035.164	042.540	N	1997	2.60	1.50	37	1.89	0.23	
						*1998	2.40	1.50	37	1.82	0.26	
						1999	2.60	1.50	62	1.89	0.24	SEALCOAT
						2000	2.70	1.50	62	1.92	0.19	
						2001	2.70	1.50	43	1.92	0.21	
						2002	2.70	2.50	43	2.57	0.20	
						2003	2.70	2.50	43	2.57	0.19	
						2004	2.70	2.50	43	2.57	0.19	
						2005	2.80	2.50	00	2.60	0.17	SEALCOAT
						2006	2.90	2.50	00	2.64	0.15	
2	U.S.-12	001890	000.000	000.186	N	1997	2.30	3.50	12	2.96	0.09	
						1998	2.70	3.50	07	3.14	0.08	
						1999	2.40	3.50	07	3.00	0.10	
						2000	2.40	3.50	07	3.00	0.11	
						2001	2.40	3.50	07	3.00	0.18	
						2002	2.60	3.50	43	3.09	0.18	
						2003	2.60	3.50	43	3.10	0.26	
						2004	2.40	3.50	43	3.01	0.28	
						2005	1.90	3.50	00	2.78	0.44	
						2006	1.80	3.50	00	2.74	0.04	
2	U.S.-12	001890	000.186	000.280	N	1997	1.80	4.50	67	3.39	0.11	
						1998	1.30	4.50	42	3.19	0.07	
						1999	1.40	4.50	42	3.18	0.14	
						2000	1.40	4.50	42	3.23	0.17	
						2001	1.30	4.50	41	3.19	0.11	
						2002	1.40	4.50	41	3.23	0.37	
						2003	1.70	4.50	41	3.35	0.27	
						2004	1.40	4.50	41	3.23	0.36	
						2005	1.30	4.50	00	3.19	0.31	
						2006	1.00	4.50	00	3.03	0.06	
2	U.S.-12	001890	000.280	000.505	N	1997	2.20	4.00	38	3.24	0.14	
						1998	2.20	4.00	42	3.24	0.14	
						1999	2.10	4.00	50	3.19	0.14	
						2000	2.50	4.00	50	3.36	0.11	
						2001	2.10	4.00	43	3.19	0.16	
						2002	2.30	4.00	43	3.28	0.13	
						2003	2.10	4.00	43	3.19	0.14	
						2004	1.90	4.00	43	3.11	0.17	
						2005	2.10	4.00	00	3.19	0.16	
						2006	3.50	5.00	00	4.36	0.06	MILL AND INLAY

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	U.S.-12	001890	000.505	002.185	N	1997	3.30	3.50	43	3.40	0.13		
						1998	3.30	3.50	40	3.40	0.17		
						1999	3.10	3.50	46	3.31	0.20		
						2000	3.10	3.50	46	3.31	0.26		
						2001	2.90	3.50	42	3.22	0.31		
						2002	2.90	3.50	42	3.22	0.41		
						2003	3.00	3.50	42	3.27	0.52		
						2004	3.30	3.50	42	3.40	0.27		
						2005	3.20	3.50	00	3.36	0.27		
						2006	3.70	5.00	00	4.40	0.07	MILL AND INLAY	2006
2	U.S.-12	001900	001.491	001.768	N	1997	2.60	5.00	47	3.96	0.16		
						1998	2.50	5.00	44	3.92	0.18		
						1999	1.90	5.00	51	3.66	0.21		
						2000	2.30	5.00	51	3.82	0.23		
						2001	1.90	4.50	23	3.37	0.32		
						2002	2.30	4.50	23	3.54	0.23		
						2003	1.90	4.50	23	3.37	0.38		
						2004	2.10	4.50	23	3.46	0.28		
						2005	2.00	3.00	00	2.56	0.35		
						2006	3.20	5.00	00	4.22	0.08	MILL AND INLAY	2006
2	U.S.-12	001900	001.768	002.197	ASC	*2003	2.20	5.00	26	3.77	0.21		
						2004	2.20	5.00	26	3.77	0.19		
						2005	2.10	5.00	00	3.73	0.18		
						2006	2.70	5.00	00	4.01	0.11	MILL AND INLAY	2006
2	U.S.-12	001900	001.768	002.197	DES	*2003	2.60	5.00	26	3.95	0.15		
						2004	2.40	5.00	26	3.86	0.18		
						2005	2.30	5.00	00	3.82	0.18		
						2006	2.80	5.00	00	4.05	0.14	MILL AND INLAY	2006
2	U.S.-12	001900	002.197	002.602	ASC	1997	3.00	1.00	26	1.85	0.19		
						1998	3.00	4.50	26	3.85	0.21		
						*2003	2.20	5.00	26	3.77	0.21		
						2004	3.80	5.00	27	4.48	0.04	NEW CONST OR RECONST (CONCRETE)	2004
						2005	2.30	5.00	00	3.83	0.03		
						2006	2.40	5.00	00	3.88	0.04		
2	U.S.-12	001900	002.197	002.602	DES	1997	3.00	5.00	26	4.14	0.19		
						1998	3.10	4.50	26	3.89	0.11		
						*2003	2.60	5.00	26	3.95	0.15		
						2004	3.40	5.00	27	4.31	0.07	NEW CONST OR RECONST (CONCRETE)	2004
						2005	2.50	5.00	00	3.92	0.06		
						2006	2.50	5.00	00	3.92	0.08		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-12	001900	002.602	002.831	ASC	1997	3.00	1.00	26	1.85	0.19	
						1998	3.00	4.50	26	3.85	0.21	
						*2003	3.00	4.50	27	3.80	0.29	
						2004	3.00	4.50	27	3.80	0.36	
						2005	3.00	4.50	00	3.80	0.30	
						2006	3.90	4.50	00	4.22	0.14	
2	U.S.-12	001900	002.602	002.831	DES	1997	3.00	5.00	26	4.14	0.19	
						1998	3.10	4.50	26	3.89	0.11	
						*2003	2.90	4.50	27	3.76	0.26	
						2004	3.40	4.50	27	3.99	0.10	
						2005	3.40	4.50	00	3.99	0.13	
						2006	4.10	4.50	00	4.31	0.05	
2	U.S.-12	001900	002.831	003.140	N	1997	3.90	3.50	26	3.67	0.19	
						1998	4.00	3.50	26	3.72	0.31	
						2001	3.80	3.50	27	3.63	0.32	
						2002	3.50	3.50	27	3.50	0.55	
						2003	3.40	3.50	27	3.45	0.33	
						2004	3.40	3.50	27	3.45	0.41	
						2005	3.30	3.50	00	3.41	0.41	
						2006	4.00	3.50	00	3.72	0.15	RUT FILLING
2	U.S.-12	001901	002.831	003.290	N	1997	4.10	5.00	28	4.59	0.11	
						1998	4.00	5.00	28	4.55	0.14	
						1999	4.00	5.00	29	4.55	0.19	
						2000	4.10	5.00	29	4.59	0.21	
						2001	4.00	5.00	29	4.55	0.26	
						2002	3.60	5.00	29	4.37	0.38	
						2003	3.90	5.00	27	4.50	0.31	
						2004	3.90	5.00	27	4.50	0.21	
						2005	3.90	5.00	00	4.50	0.34	
						2006	4.30	5.00	00	4.68	0.15	RUT FILLING
2	U.S.-12	001902	000.186	000.275	N	1997	2.20	4.00	67	3.22	0.10	
						1998	1.90	4.00	37	3.09	0.18	
						1999	1.80	4.00	37	3.05	0.16	
						2000	2.00	4.00	37	3.13	0.21	
						2001	1.60	4.00	37	2.96	0.21	
						2002	1.50	4.00	43	2.92	0.21	
						2003	1.50	4.00	43	2.92	0.21	
						2004	1.50	4.00	43	2.92	0.21	
						2005	1.50	4.00	00	2.92	0.21	
						2006	0.90	4.00	00	2.66	0.14	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	U.S.-12	001902	000.275	000.381	N	1997	1.20	4.00	12	2.82	0.11		
						1998	1.00	4.00	07	2.73	0.14		
						1999	0.90	4.00	07	2.69	0.13		
						2000	1.00	4.00	07	2.73	0.14		
						2001	1.00	4.00	07	2.73	0.13		
						2002	0.80	3.50	43	2.36	0.15		
						2003	1.50	3.50	43	2.65	0.20		
						2004	1.40	3.00	43	2.32	0.24		
						2005	1.70	2.40	00	2.10	0.30		
						2006	0.90	2.40	00	1.76	0.14		
2	U.S.-12	001910	010.130	011.107	N	1997	3.10	3.30	32	3.20	0.26		
						1998	3.20	3.30	36	3.25	0.23		
						1999	3.10	3.30	42	3.20	0.10	RUT FILLING	1999
						2000	3.20	3.30	42	3.25	0.15		
						2001	3.20	3.30	31	3.25	0.16		
						2002	3.20	3.30	31	3.25	0.23		
						2003	3.10	3.30	31	3.20	0.29		
						2004	3.20	3.30	31	3.25	0.32		
						2005	3.20	3.30	00	3.25	0.35		
						2006	3.90	5.00	00	4.46	0.09		
2	U.S.-12	001910	011.107	015.541	N	1997	3.40	2.50	38	2.93	0.31	SEALCOAT	1997
						1998	3.30	2.50	40	2.88	0.33		
						1999	3.30	2.50	43	2.88	0.11	RUT FILLING	1999
						2000	3.40	2.50	43	2.93	0.13		
						2001	3.40	2.50	28	2.93	0.19		
						2002	3.40	2.50	28	2.93	0.22		
						2003	3.40	2.40	28	2.87	0.25		
						2004	3.40	2.40	28	2.87	0.29		
						2005	3.40	2.40	00	2.87	0.31		
						2006	3.80	5.00	00	4.42	0.11		
2	U.S.-12	001910	015.541	019.060	N	1997	2.70	3.70	39	3.22	0.21	SEALCOAT	1997
						1998	3.10	3.70	50	3.41	0.22		
						1999	3.10	3.70	47	3.41	0.23		
						2000	3.20	3.50	47	3.35	0.23		
						2001	3.20	3.50	38	3.35	0.23		
						2002	3.10	3.50	38	3.30	0.24		
						2003	3.10	3.50	38	3.30	0.25		
						2004	3.10	3.50	38	3.30	0.28		
						2005	3.20	3.50	00	3.35	0.25		
						2006	3.10	4.00	00	3.57	0.23		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	U.S.-12	001910	019.060	019.360	N	1997	3.30	3.50	39	3.40	0.13	SEALCOAT	1997
						1998	2.90	3.50	50	3.21	0.13		
						1999	3.10	3.50	47	3.30	0.10		
						2000	2.80	3.50	47	3.16	0.11		
						2001	3.00	3.50	38	3.26	0.12		
						2002	3.20	3.50	38	3.35	0.12		
						2003	3.10	3.50	38	3.30	0.12		
						2004	3.10	3.50	38	3.30	0.15		
						2005	3.10	3.50	00	3.30	0.12		
						2006	3.10	3.40	00	3.25	0.13		
2	U.S.-12	001910	019.360	020.200	N	1997	3.40	3.50	41	3.45	0.23	SEALCOAT	1997
						1998	3.40	3.50	53	3.45	0.23		
						1999	3.20	3.50	55	3.35	0.21		
						2000	3.50	3.50	55	3.50	0.22		
						2001	3.40	3.50	39	3.45	0.20		
						2002	3.40	3.50	39	3.45	0.25		
						2003	3.40	3.50	39	3.45	0.28		
						2004	3.30	3.50	39	3.40	0.23		
						2005	3.20	3.50	00	3.35	0.24		
						2006	3.30	3.50	00	3.40	0.30		
2	U.S.-12	001910	020.200	021.140	N	1997	3.50	3.50	42	3.50	0.31	SEALCOAT	1997
						1998	3.40	3.50	58	3.45	0.32		
						1999	3.30	3.50	56	3.40	0.24		
						2000	3.50	3.50	56	3.50	0.35		
						2001	3.50	3.50	45	3.50	0.36		
						2002	3.20	3.50	45	3.35	0.39		
						2003	3.20	3.50	45	3.35	0.41		
						2004	3.00	3.50	45	3.26	0.39		
						2005	3.00	3.00	00	3.00	0.34		
						2006	3.00	2.90	00	2.94	0.43		
2	U.S.-12	001910	021.140	023.440	N	1997	3.40	4.00	41	3.71	0.20	SEALCOAT	1997
						1998	3.40	4.00	52	3.71	0.22		
						1999	3.40	4.00	52	3.71	0.25		
						2000	3.40	3.80	52	3.60	0.23		
						2001	3.40	3.80	40	3.60	0.22		
						2002	3.40	3.80	40	3.60	0.28		
						2003	3.30	3.80	40	3.56	0.27		
						2004	3.20	3.80	40	3.51	0.30		
						2005	3.20	3.80	00	3.51	0.22		
						2006	3.20	3.80	00	3.51	0.31		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	U.S.-12	001910	023.440	023.940	N	1997	3.20	4.50	46	3.87	0.25	SEALCOAT	1997
						1998	3.20	4.50	61	3.87	0.22		
						1999	3.10	4.50	58	3.82	0.28		
						2000	3.20	4.00	58	3.61	0.29		
						2001	3.30	4.00	46	3.66	0.25		
						2002	3.30	4.00	46	3.66	0.33		
						2003	3.20	4.00	46	3.61	0.25		
						2004	3.20	4.00	46	3.61	0.31		
						2005	3.30	4.00	00	3.66	0.30		
						2006	3.20	4.00	00	3.61	0.29		
2	U.S.-12	001910	023.940	026.671	N	1997	3.30	3.30	43	3.30	0.17	SEALCOAT	1997
						1998	3.40	3.30	52	3.34	0.19		
						1999	3.40	3.30	53	3.34	0.19		
						2000	3.40	3.20	53	3.29	0.20		
						2001	3.40	3.20	39	3.29	0.20		
						*2002	3.40	3.20	39	3.29	0.25		
						2003	3.40	3.20	39	3.29	0.23		
						2004	3.30	3.20	39	3.24	0.27		
						2005	3.30	3.20	00	3.24	0.23		
						2006	3.30	3.20	00	3.24	0.24		
2	U.S.-12	001910	026.671	027.462	N	1997	3.30	3.30	43	3.30	0.17	PLANT MIX OVERLAY	1997
						1998	3.40	3.30	52	3.34	0.19		
						1999	3.40	3.30	53	3.34	0.19		
						2000	3.40	3.20	53	3.29	0.20		
						2001	3.40	3.20	39	3.29	0.20		
						*2002	3.40	3.20	39	3.29	0.25		
						2003	2.70	5.00	26	3.89	0.21	MAJOR WIDENING	2003
						2004	3.00	5.00	26	4.04	0.09		
						2005	3.20	5.00	00	4.14	0.05		
						2006	3.30	5.00	00	4.18	0.08		
2	U.S.-12	001910	027.462	030.610	N	1997	3.60	5.00	48	4.33	0.04	PLANT MIX OVERLAY	1997
						1998	3.40	5.00	47	4.23	0.09		
						1999	3.40	5.00	40	4.23	0.15		
						2000	3.40	4.50	40	3.97	0.15		
						2001	3.30	4.50	29	3.92	0.16		
						2002	3.40	4.50	29	3.97	0.21		
						2003	3.40	4.50	29	3.97	0.25		
						*2004	3.30	4.50	29	3.92	0.28		
						2005	3.10	4.50	00	3.83	0.21		
						2006	3.20	4.50	00	3.87	0.25		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS			
2	U.S.-12	001910	030.610	031.550	N	1997	3.60	5.00	48	4.33	0.04	PLANT MIX OVERLAY			1997
						1998	3.40	5.00	47	4.23	0.09				
						1999	3.40	5.00	40	4.23	0.15				
						2000	3.40	4.50	40	3.97	0.15				
						2001	3.30	4.50	29	3.92	0.16				
						2002	3.40	4.50	29	3.97	0.21				
						2003	3.40	4.50	29	3.97	0.25				
						*2004	3.30	4.50	29	3.92	0.28				
						2005	3.20	5.00	00	4.13	0.15	PLANT MIX OVERLAY			2005
						2006	3.20	4.80	00	4.03	0.20				
2	U.S.-12	001910	031.550	033.830	N	1997	3.60	5.00	48	4.33	0.04	PLANT MIX OVERLAY			1997
						1998	3.40	5.00	47	4.23	0.09				
						1999	3.40	5.00	40	4.23	0.15				
						2000	3.40	4.50	40	3.97	0.15				
						2001	3.30	4.50	29	3.92	0.16				
						2002	3.40	4.50	29	3.97	0.21				
						2003	3.40	4.50	29	3.97	0.25				
						*2004	3.30	4.50	29	3.92	0.28				
						2005	3.30	4.50	00	3.92	0.20				
						2006	3.30	4.50	00	3.92	0.25				
2	U.S.-12	001910	033.830	034.700	N	1997	3.80	5.00	45	4.42	0.05				
						1998	3.80	5.00	23	4.42	0.14				
						1999	3.80	5.00	31	4.42	0.20				
						2000	3.70	4.50	31	4.11	0.16				
						2001	3.80	4.50	17	4.16	0.17				
						2002	3.60	4.50	17	4.06	0.23				
						2003	3.60	4.50	17	4.06	0.23				
						2004	3.60	4.50	17	4.06	0.29				
						2005	3.40	4.50	00	3.97	0.23				
						2006	3.50	4.50	00	4.02	0.35				
2	U.S.-12	001910	034.700	034.959	N	1997	1.90	4.20	38	3.09	0.08				
						1998	1.90	4.20	38	3.09	0.07				
						1999	1.80	4.20	38	3.05	0.11				
						2000	2.60	4.20	31	3.43	0.09				
						2001	2.60	4.20	17	3.43	0.10				
						2002	3.00	4.20	17	3.62	0.04				
						2003	2.90	4.20	17	3.57	0.10				
						2004	3.00	4.20	17	3.62	0.14				
						2005	3.00	3.00	00	3.00	0.12				
						2006	2.90	2.50	00	2.69	0.08				

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-12	001910	035.004	038.133	N	1997	3.20	3.50	44	3.35	0.10	
						1998	3.10	3.50	37	3.30	0.10	
						1999	3.00	3.50	45	3.26	0.15	
						2000	3.00	3.30	45	3.15	0.11	
						2001	3.00	3.30	31	3.15	0.14	
						2002	3.20	3.30	31	3.25	0.16	SEALCOAT
						2003	3.20	3.30	31	3.25	0.17	
						2004	3.10	3.30	31	3.20	0.19	
						2005	3.10	3.30	00	3.20	0.17	
						2006	3.10	3.30	00	3.20	0.19	
2	U.S.-12	001910	038.133	039.730	N	1997	3.40	3.50	50	3.45	0.18	
						1998	3.30	3.50	38	3.40	0.22	
						1999	3.30	3.50	46	3.40	0.24	
						2000	3.40	3.00	46	3.19	0.23	
						2001	3.40	3.00	34	3.19	0.25	
						2002	3.30	3.00	34	3.14	0.23	SEALCOAT
						2003	3.30	3.00	34	3.14	0.22	MILL AND INLAY
						2004	3.30	3.00	34	3.14	0.25	
						2005	3.30	3.00	00	3.14	0.24	
						2006	3.20	3.00	00	3.09	0.31	
2	U.S.-12	001910	039.730	040.663	N	1997	3.50	3.00	43	3.23	0.09	
						1998	3.40	3.00	36	3.19	0.12	
						1999	3.30	3.00	42	3.14	0.09	
						2000	3.40	3.00	42	3.19	0.10	
						2001	3.30	3.00	32	3.14	0.12	
						2002	3.40	3.00	32	3.19	0.20	SEALCOAT
						2003	3.40	5.00	32	4.23	0.12	MILL AND INLAY
						2004	4.00	4.80	32	4.41	0.03	
						2005	4.00	4.80	00	4.41	0.07	
						2006	3.90	4.80	00	4.36	0.06	
2	U.S.-12	001910	040.663	042.500	N	1997	3.50	2.80	45	3.13	0.24	
						1998	3.40	2.80	32	3.08	0.21	
						1999	3.40	2.80	38	3.08	0.30	
						2000	3.50	2.70	38	3.08	0.26	
						2001	3.40	2.70	33	3.03	0.35	
						2002	3.50	2.70	33	3.08	0.26	SEALCOAT
						2003	3.40	5.00	33	4.22	0.28	MILL AND INLAY
						2004	4.20	5.00	33	4.61	0.04	
						2005	4.20	5.00	00	4.61	0.04	
						2006	4.20	5.00	00	4.61	0.06	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-12	001910	042.500	043.225	N	1997	3.40	2.40	47	2.88	0.11	
						1998	3.30	2.40	28	2.83	0.09	
						1999	3.20	2.40	36	2.78	0.11	
						2000	3.20	2.20	36	2.68	0.12	
						2001	3.30	2.20	32	2.73	0.12	
						2002	3.20	2.20	32	2.68	0.13	SEALCOAT
						2003	3.10	5.00	32	4.08	0.10	MILL AND INLAY
						2004	4.00	5.00	32	4.51	0.02	
						2005	3.90	5.00	00	4.46	0.04	
						2006	3.90	5.00	00	4.46	0.04	
2	U.S.-12	001910	043.225	043.963	N	1997	3.50	2.40	44	2.93	0.14	
						1998	3.40	2.40	27	2.88	0.16	
						1999	3.30	2.40	38	2.83	0.14	
						2000	3.50	2.20	38	2.82	0.19	
						2001	3.60	2.20	36	2.87	0.18	
						2002	3.20	2.20	36	2.68	0.22	SEALCOAT
						2003	3.20	2.20	36	2.68	0.19	MILL AND INLAY
						2004	3.20	2.20	36	2.68	0.15	
						2005	3.30	2.20	00	2.73	0.12	
						2006	3.30	2.20	00	2.73	0.13	
2	U.S.-12	001910	043.963	049.826	N	1997	3.50	3.50	38	3.50	0.13	
						1998	3.40	3.50	38	3.45	0.13	
						1999	3.40	3.50	43	3.45	0.15	
						2000	3.40	3.50	43	3.45	0.14	
						2001	3.40	3.50	35	3.45	0.16	
						2002	3.50	3.50	35	3.50	0.16	SEALCOAT
						2003	3.50	3.50	35	3.50	0.19	
						2004	3.40	3.50	35	3.45	0.15	
						2005	3.40	3.50	00	3.45	0.16	
						2006	3.40	3.50	00	3.45	0.18	
2	U.S.-12	001910	049.826	050.600	N	1997	3.50	4.00	41	3.76	0.20	
						1998	3.40	4.00	51	3.71	0.15	
						1999	3.40	4.00	46	3.71	0.20	
						2000	3.50	4.00	46	3.76	0.18	
						2001	3.40	4.00	35	3.71	0.17	
						2002	3.50	4.00	35	3.76	0.18	
						2003	3.40	4.00	35	3.71	0.15	
						2004	3.50	4.00	35	3.76	0.20	
						2005	3.20	4.00	00	3.61	0.16	
						2006	3.50	4.00	00	3.76	0.22	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-12	001910	050.600	051.568	N	1997	3.30	4.50	46	3.92	0.15	
						1998	3.20	4.50	46	3.87	0.13	
						1999	3.20	4.50	47	3.87	0.17	
						2000	3.30	4.50	47	3.92	0.14	
						2001	3.20	4.50	33	3.87	0.21	
						2002	3.30	4.50	33	3.92	0.15	
						2003	3.30	4.50	33	3.92	0.16	
						2004	3.30	4.50	33	3.92	0.17	
						2005	3.20	4.50	00	3.87	0.16	
						2006	3.30	4.50	00	3.92	0.18	
2	U.S.-12	001910	051.568	060.942	N	1997	3.10	2.90	48	2.99	0.15	
						1998	3.00	2.90	46	2.94	0.14	
						1999	3.10	2.90	45	2.99	0.17	
						2000	3.10	2.90	45	2.99	0.16	
						2001	3.10	2.90	39	2.99	0.18	
						2002	3.20	2.90	39	3.04	0.18	
						2003	3.10	2.90	39	2.99	0.17	
						2004	3.10	2.90	39	2.99	0.19	
						2005	3.10	2.90	00	2.99	0.18	
						2006	2.90	2.90	00	2.90	0.18	MAJOR WIDENING
2	U.S.-12	001910	060.942	065.871	N	1997	3.10	3.00	44	3.04	0.15	
						1998	3.10	3.00	45	3.04	0.13	
						1999	3.10	3.00	46	3.04	0.15	
						2000	3.20	3.00	46	3.09	0.14	
						2001	3.20	3.00	32	3.09	0.17	
						2002	3.20	3.00	32	3.09	0.18	
						2003	3.20	3.00	32	3.09	0.19	
						2004	3.20	3.00	32	3.09	0.19	
						2005	3.20	3.00	00	3.09	0.18	
						2006	3.10	3.00	00	3.04	0.18	
2	U.S.-12	001910	065.871	066.220	N	1997	2.50	3.40	33	2.99	0.36	
						1998	2.80	3.40	36	3.12	0.27	
						1999	2.80	3.40	37	3.13	0.34	
						2000	3.00	3.40	37	3.21	0.36	
						2001	3.10	3.40	42	3.26	0.31	
						2002	3.10	3.40	42	3.26	0.34	
						2003	3.10	3.40	42	3.26	0.28	
						2004	3.10	3.40	42	3.26	0.29	
2005	3.10	3.40	00	3.26	0.27							
2006	3.10	3.40	00	3.26	0.24							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-12	001910	066.220	066.615	N	1997	3.40	3.40	31	3.40	0.10	
						1998	3.00	3.40	31	3.21	0.17	
						1999	3.00	3.40	35	3.21	0.23	
						2000	3.10	3.40	35	3.26	0.19	
						2001	3.20	3.40	28	3.30	0.29	
						2002	3.20	3.40	28	3.30	0.21	
						2003	3.20	3.40	28	3.30	0.17	
						2004	3.30	3.40	28	3.35	0.21	
						2005	3.20	3.40	00	3.30	0.15	
						2006	3.30	3.40	00	3.35	0.19	
2	U.S.-12	001910	066.615	066.789	N	1997	1.40	3.40	36	2.49	0.38	
						1998	2.30	3.40	36	2.90	0.06	
						1999	2.40	3.40	36	2.94	0.08	
						2000	2.30	3.40	35	2.90	0.10	
						2001	2.60	3.40	28	3.03	0.14	
						2002	2.50	3.40	28	2.99	0.19	
						2003	2.60	3.40	28	3.03	0.20	
						2004	2.50	3.40	28	2.99	0.16	
						2005	2.50	4.50	00	3.59	0.20	
						2006	2.50	4.50	00	3.59	0.27	
2	U.S.-12	001910	066.789	066.946	N	*1997	3.00	2.00	37	2.47	0.20	
						1998	2.50	2.00	36	2.22	0.04	
						1999	2.60	5.00	36	3.91	0.08	
						2000	2.50	5.00	35	3.86	0.07	
						2001	2.30	5.00	28	3.77	0.09	
						2002	2.30	5.00	28	3.77	0.04	
						2003	2.20	5.00	28	3.73	0.08	
						2004	2.30	5.00	28	3.77	0.07	
						2005	2.20	5.00	00	3.73	0.06	
						2006	2.20	5.00	00	3.73	0.09	
2	U.S.-12	001910	066.975	070.100	N	*1997	3.00	2.00	37	2.47	0.20	
						1998	3.00	2.00	37	2.47	0.18	
						1999	2.90	2.00	33	2.43	0.21	
						2000	2.90	2.00	33	2.43	0.21	
						*2001	3.00	2.00	29	2.47	0.21	
						2002	2.90	2.00	28	2.43	0.22	
						2003	3.00	2.00	28	2.47	0.21	
						2004	3.00	2.00	28	2.47	0.22	
						2005	3.00	2.00	00	2.47	0.22	
						2006	3.00	2.00	00	2.47	0.20	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-12	001910	070.100	073.472	N	*1997	3.00	2.00	37	2.47	0.20	
						1998	3.00	2.00	37	2.47	0.18	
						1999	2.90	2.00	33	2.43	0.21	
						2000	2.90	2.00	33	2.43	0.21	
						*2001	3.00	2.00	29	2.47	0.21	
						2002	3.70	5.00	30	4.37	0.07	PLANT MIX OVERLAY
						2003	3.70	5.00	30	4.37	0.08	
						2004	3.70	5.00	30	4.37	0.10	
						2005	3.70	5.00	00	4.37	0.09	
						2006	3.70	5.00	00	4.37	0.10	
2	U.S.-12	001910	073.472	081.673	N	1997	3.20	3.00	48	3.09	0.19	
						1998	3.10	3.00	48	3.04	0.17	
						1999	3.00	2.00	47	2.47	0.18	
						2000	3.10	2.00	47	2.52	0.21	
						2001	3.10	2.00	38	2.51	0.20	
						2002	3.90	5.00	38	4.48	0.05	PLANT MIX OVERLAY
						2003	3.80	5.00	38	4.43	0.05	
						2004	3.70	5.00	38	4.38	0.07	
						2005	3.70	5.00	00	4.38	0.07	
						2006	3.70	5.00	00	4.38	0.08	
2	U.S.-12	001910	081.673	087.605	N	1997	3.40	3.90	51	3.66	0.17	
						1998	3.30	3.90	51	3.61	0.14	
						1999	3.30	3.90	52	3.61	0.16	
						2000	3.30	3.50	52	3.40	0.15	
						2001	3.20	3.50	58	3.35	0.16	
						2002	3.20	3.50	58	3.35	0.14	
						2003	3.20	3.50	58	3.35	0.16	
						2004	3.10	3.50	58	3.31	0.18	
						2005	3.00	3.50	00	3.26	0.16	
						2006	2.90	3.50	00	3.21	0.17	
2	U.S.-12	001910	087.605	090.040	N	1997	2.90	3.50	50	3.21	0.15	
						1998	2.80	3.50	50	3.16	0.10	
						1999	2.80	3.50	50	3.16	0.16	
						2000	2.80	3.50	50	3.16	0.11	
						2001	2.80	3.50	58	3.17	0.13	
						2002	3.00	3.50	58	3.26	0.11	
						2003	3.00	3.50	58	3.26	0.14	
						2004	3.00	3.50	58	3.26	0.14	
						2005	2.90	3.50	00	3.21	0.15	
						2006	3.00	3.50	00	3.26	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	U.S.-12	001910	090.066	096.870	N	1997	2.80	2.90	46	2.85	0.18		
						1998	2.80	2.90	46	2.85	0.16		
						1999	2.70	2.90	48	2.80	0.23		
						2000	2.80	2.50	48	2.64	0.20		
						2001	2.80	2.50	44	2.64	0.20		
						2002	2.90	2.50	44	2.68	0.18		
						2003	2.80	2.50	44	2.64	0.19		
						2004	2.80	2.50	44	2.64	0.20		
						2005	2.70	2.50	00	2.59	0.22		
						2006	2.70	2.50	00	2.59	0.19		
2	U.S.-12	001910	096.870	103.932	N	1997	2.80	2.60	49	2.69	0.14		
						1998	2.70	2.60	49	2.64	0.12		
						1999	2.70	2.60	42	2.64	0.13		
						2000	2.80	2.40	42	2.58	0.14		
						2001	2.70	2.40	42	2.54	0.14		
						2002	2.80	2.40	42	2.58	0.12		
						2003	2.90	2.40	42	2.63	0.15		
						2004	2.70	2.40	42	2.54	0.13		
						2005	2.70	2.40	00	2.54	0.15		
						2006	2.70	2.40	00	2.54	0.16		
2	U.S.-12	001910	103.932	111.433	N	1997	2.80	2.60	46	2.69	0.13		
						1998	2.90	2.60	46	2.74	0.12	SEALCOAT	1998
						1999	2.80	2.60	45	2.69	0.13		
						2000	2.90	2.60	45	2.74	0.13		
						2001	2.80	2.60	36	2.69	0.14		
						2002	2.90	2.60	36	2.74	0.13		
						2003	2.90	2.60	36	2.74	0.14		
						2004	2.90	2.60	36	2.74	0.14		
						2005	2.80	2.60	00	2.69	0.14		
						2006	2.90	2.60	00	2.74	0.14		
2	U.S.-12	001910	111.433	117.610	N	1997	3.10	2.90	34	2.99	0.13		
						1998	3.00	2.90	34	2.94	0.15	SEALCOAT	1998
						1999	3.00	2.90	45	2.94	0.16		
						2000	3.60	2.90	45	3.23	0.09		
						2001	3.60	2.90	39	3.23	0.10		
						2002	3.50	2.90	39	3.18	0.09		
						2003	3.50	2.90	39	3.18	0.10		
						2004	3.50	2.90	39	3.18	0.11		
						2005	3.50	2.90	00	3.18	0.10		
						2006	3.50	2.90	00	3.18	0.11		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	U.S.-12	001910	117.610	121.307	N	1997	3.00	2.50	40	2.73	0.15		
						1998	3.00	2.50	40	2.73	0.15		
						1999	2.90	2.50	42	2.68	0.17		
						2000	3.60	2.40	42	2.96	0.08		
						*2001	3.60	2.40	35	2.96	0.08		
						2002	3.80	2.40	38	3.06	0.05		
						2003	3.80	3.00	38	3.37	0.05		
						2004	3.70	3.00	38	3.33	0.07		
						2005	3.60	3.00	00	3.28	0.07		
						2006	3.60	3.00	00	3.28	0.08		
2	U.S.-12	001910	121.307	128.230	N	1997	3.20	2.80	35	2.98	0.14		
						1998	3.10	2.80	35	2.94	0.13	SEALCOAT	1998
						1999	3.10	2.80	48	2.94	0.14		
						2000	3.20	2.40	48	2.77	0.15		
						*2001	3.10	2.40	32	2.73	0.15		
						2002	3.40	5.00	31	4.24	0.07	PLANT MIX OVERLAY	2002
						2003	3.40	5.00	31	4.24	0.05		
						2004	3.40	5.00	31	4.24	0.08		
						2005	3.30	5.00	00	4.19	0.10		
						2006	3.30	5.00	00	4.19	0.11		
2	U.S.-12	001910	128.230	136.346	N	1997	3.10	4.00	60	3.57	0.13		
						1998	3.00	4.00	60	3.52	0.12		
						1999	2.90	4.00	63	3.48	0.14		
						2000	3.00	3.50	63	3.26	0.15		
						2001	3.00	3.50	52	3.26	0.16		
						2002	3.10	3.50	52	3.31	0.19	SEALCOAT	2002
						2003	3.10	3.50	52	3.31	0.14		
						2004	3.10	3.00	52	3.04	0.16		
						2005	3.10	3.00	00	3.04	0.16		
						2006	3.10	3.00	00	3.04	0.16		
2	U.S.-12	001910	136.346	144.745	N	1997	3.20	4.50	56	3.88	0.13		
						1998	3.20	4.50	56	3.88	0.13		
						1999	3.10	4.50	63	3.83	0.14		
						2000	3.20	3.50	63	3.35	0.14		
						2001	3.20	3.50	50	3.35	0.15		
						2002	3.10	3.50	50	3.31	0.18	SEALCOAT	2002
						2003	3.10	3.50	50	3.31	0.14		
						2004	3.10	3.20	50	3.15	0.15		
						2005	3.10	3.20	00	3.15	0.15		
						2006	3.00	3.20	00	3.10	0.16		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-12	001910	144.745	151.400	N	1997	3.00	4.50	56	3.79	0.12	
						1998	2.90	4.50	56	3.74	0.12	
						1999	2.80	4.50	62	3.69	0.14	
						2000	3.00	3.00	62	3.00	0.14	
						2001	2.90	3.00	47	2.95	0.15	
						2002	3.00	3.00	47	3.00	0.18	SEALCOAT
						2003	3.00	3.00	47	3.00	0.13	
						2004	3.00	3.00	47	3.00	0.15	
						2005	3.00	3.00	00	3.00	0.15	
						2006	2.90	3.00	00	2.95	0.15	
2	U.S.-12	001910	151.400	155.775	N	1997	2.90	2.10	48	2.47	0.12	
						1998	2.90	2.10	48	2.47	0.16	
						1999	2.80	2.10	47	2.43	0.16	
						2000	3.00	2.00	47	2.47	0.16	
						2001	3.60	5.00	37	4.33	0.13	C.R.A.B.S.
						2002	3.30	5.00	37	4.19	0.16	
						2003	3.40	5.00	37	4.24	0.10	
						2004	3.40	5.00	37	4.24	0.10	
						2005	3.40	5.00	00	4.24	0.10	
						2006	3.30	5.00	00	4.19	0.10	
2	U.S.-12	001910	155.775	161.780	N	1997	3.10	2.20	51	2.62	0.11	
						1998	3.10	2.20	51	2.62	0.13	
						1999	3.00	2.20	50	2.57	0.14	
						2000	3.10	2.00	50	2.51	0.14	
						2001	3.60	5.00	33	4.33	0.16	C.R.A.B.S.
						2002	3.30	5.00	33	4.19	0.17	
						2003	3.30	5.00	33	4.19	0.11	
						2004	3.30	4.80	33	4.09	0.12	
						2005	3.30	4.80	00	4.09	0.12	
						2006	3.30	4.80	00	4.09	0.11	
2	U.S.-12	001910	161.780	169.740	N	1997	3.10	2.30	42	2.68	0.10	
						1998	3.10	2.30	42	2.67	0.11	
						1999	3.10	2.30	50	2.67	0.11	
						2000	3.10	2.30	50	2.67	0.11	
						*2001	3.60	5.00	42	4.33	0.16	C.R.A.B.S.
						2002	3.30	5.00	32	4.19	0.21	
						2003	3.40	5.00	32	4.24	0.12	
						2004	3.40	5.00	32	4.24	0.13	
						2005	3.40	5.00	00	4.24	0.13	
						2006	3.30	4.80	00	4.09	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	U.S.-12	001910	169.740	172.210	N	1997	3.10	2.30	42	2.68	0.10		
						1998	3.10	2.30	42	2.67	0.11		
						1999	3.10	2.30	50	2.67	0.11		
						2000	3.10	2.30	50	2.67	0.11		
						*2001	3.60	5.00	42	4.33	0.16	C.R.A.B.S.	2001
						2002	3.40	5.00	44	4.24	0.08	PLANT MIX OVERLAY	2002
						2003	3.00	5.00	44	4.05	0.10		
						2004	3.10	5.00	44	4.10	0.09		
						2005	3.10	5.00	00	4.10	0.10		
						2006	2.90	5.00	00	4.00	0.09		
2	U.S.-12	001910	172.210	174.410	N	1997	3.10	2.30	42	2.68	0.10		
						1998	3.10	2.30	42	2.67	0.11		
						1999	3.10	2.30	50	2.67	0.11		
						2000	3.10	2.30	50	2.67	0.11		
						*2001	3.60	5.00	42	4.33	0.16	C.R.A.B.S.	2001
						*2002	3.30	5.00	45	4.19	0.18		
						2003	3.30	5.00	45	4.19	0.11		
						2004	3.40	5.00	45	4.23	0.11		
						2005	3.30	5.00	00	4.19	0.11		
						2006	3.30	5.00	00	4.19	0.11		
2	S.H.-13	001960	000.000	000.323	N	1997	2.10	5.00	28	3.76	0.13		
						1998	2.50	4.00	39	3.36	0.13		
						1999	0.90	5.00	39	3.26	0.26	MILL AND INLAY	1999
						2000	2.50	5.00	39	3.94	0.24		
						2001	2.40	5.00	39	3.89	0.27		
						2002	2.30	5.00	45	3.85	0.30	SEALCOAT	2002
						2003	2.40	5.00	45	3.89	0.18		
						2004	2.20	4.60	45	3.58	0.19		
						2005	2.10	4.60	00	3.53	0.30		
						2006	2.20	4.60	00	3.57	0.40		
2	S.H.-13	001960	000.323	000.778	N	1997	3.30	5.00	35	4.28	0.13		
						1998	3.10	3.50	36	3.33	0.24		
						1999	0.40	5.00	36	3.05	0.35	MILL AND INLAY	1999
						2000	2.50	5.00	36	3.94	0.22		
						2001	2.60	5.00	38	3.98	0.21		
						2002	2.40	5.00	38	3.90	0.34	SEALCOAT	2002
						2003	1.80	5.00	38	3.65	0.29		
						2004	2.40	4.60	38	3.67	0.31		
						2005	2.40	4.60	00	3.67	0.38		
						2006	2.30	4.60	00	3.62	0.44		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	S.H.-13	001960	000.778	001.120	N	1997	3.00	5.00	31	4.17	0.13		
						1998	2.90	3.50	42	3.25	0.13		
						1999	2.20	5.00	42	3.83	0.21	MILL AND INLAY	1999
						2000	2.70	5.00	42	4.04	0.14		
						2001	2.70	5.00	42	4.04	0.14		
						2002	2.50	5.00	38	3.96	0.18	SEALCOAT	2002
						2003	2.50	5.00	38	3.96	0.14		
						2004	2.50	5.00	38	3.96	0.17		
						2005	2.40	5.00	00	3.92	0.15		
						2006	2.50	5.00	00	3.96	0.27		
2	S.H.-13	001960	001.120	006.605	N	1997	2.40	1.30	53	1.75	0.16		
						1998	2.30	1.30	44	1.71	0.20		
						1999	2.50	1.30	51	1.79	0.18		
						2000	2.60	1.20	51	1.77	0.19		
						2001	2.60	1.20	39	1.77	0.21		
						2002	2.70	2.60	39	2.64	0.22	SEALCOAT	2002
						2003	2.80	2.60	39	2.68	0.19		
						2004	2.70	2.40	39	2.52	0.22		
						2005	2.70	2.40	00	2.52	0.24		
						2006	2.80	2.40	00	2.56	0.22		
2	S.H.-13	001960	006.605	011.249	N	1997	3.20	4.50	37	3.92	0.08		
						1998	3.20	4.50	41	3.92	0.12		
						1999	3.10	4.50	48	3.87	0.12	SEALCOAT	1999
						2000	3.10	4.00	48	3.59	0.12		
						2001	3.10	3.70	41	3.43	0.12		
						2002	3.10	3.70	41	3.43	0.14		
						2003	3.10	3.70	41	3.43	0.13		
						2004	3.10	3.50	41	3.32	0.18		
						2005	3.00	3.50	00	3.27	0.16		
						2006	3.00	3.50	00	3.27	0.16		
2	S.H.-13	001960	011.249	015.102	N	1997	3.00	1.80	22	2.33	0.11		
						1998	3.00	1.80	36	2.33	0.12	SEALCOAT	1998
						1999	3.00	1.80	36	2.33	0.12	SEALCOAT	1999
						2000	3.00	1.80	36	2.33	0.11		
						2001	3.00	1.80	38	2.33	0.11		
						2002	2.90	1.80	38	2.29	0.12		
						2003	2.90	1.80	38	2.29	0.12		
						2004	2.70	1.80	38	2.20	0.13		
						2005	2.70	1.80	00	2.20	0.13		
						2006	2.60	1.80	00	2.15	0.11		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	S.H.-13	001960	015.102	022.096	N	1997	3.00	1.40	25	2.06	0.09	
						1998	2.90	1.40	41	2.02	0.10	
						1999	2.90	1.40	41	2.02	0.10	SEALCOAT 1999
						2000	2.90	1.40	41	2.02	0.11	
						2001	2.90	1.40	46	2.02	0.10	
						2002	2.70	1.40	46	1.93	0.11	
						2003	2.70	1.40	46	1.93	0.11	
						2004	2.60	1.40	46	1.89	0.12	
						2005	2.60	1.40	00	1.89	0.13	
						2006	2.60	1.40	00	1.89	0.12	
2	S.H.-13	001960	022.096	022.473	N	1997	2.70	1.80	28	2.17	0.13	
						1998	2.60	1.50	44	1.95	0.15	
						1999	2.40	1.50	44	1.87	0.18	SEALCOAT 1999
						2000	2.40	1.50	44	1.87	0.20	
						2001	2.40	1.50	44	1.87	0.21	
						2002	2.40	1.50	46	1.87	0.23	
						2003	2.30	1.50	46	1.83	0.22	
						2004	2.10	1.50	46	1.74	0.27	
						2005	2.20	1.50	00	1.79	0.25	
						2006	2.10	1.50	00	1.74	0.29	
2	S.H.-13	001960	022.473	025.406	N	1997	3.00	1.50	17	2.12	0.14	
						1998	2.90	1.50	33	2.08	0.15	
						*1999	2.80	1.50	37	2.04	0.15	SEALCOAT 1999
						2000	2.80	1.50	37	2.04	0.17	
						2001	2.80	1.50	37	2.04	0.18	
						2002	2.80	1.50	37	2.04	0.19	SEALCOAT 2002
						2003	2.70	1.50	37	2.00	0.20	
						2004	2.70	1.50	37	2.00	0.26	
						2005	2.80	1.50	00	2.04	0.21	
						2006	2.70	1.50	00	2.00	0.21	
2	S.H.-13	001960	025.406	025.493	N	1997	3.00	1.50	17	2.12	0.14	
						1998	2.90	1.50	33	2.08	0.15	
						*1999	2.80	1.50	37	2.04	0.15	SEALCOAT 1999
						2000	2.80	5.00	37	4.08	0.17	PLANT MIX OVERLAY 2000
						2001	2.80	5.00	37	4.08	0.18	
						2002	2.80	5.00	37	4.08	0.19	SEALCOAT 2002
						2003	2.70	5.00	37	4.04	0.20	
						2004	2.70	5.00	37	4.04	0.26	
						2005	2.80	5.00	00	4.08	0.21	
						2006	2.70	5.00	00	4.04	0.21	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	S.H.-13	001960	025.493	025.512	N	1997	3.50	2.00	26	2.62	0.19		
						1998	3.50	2.00	44	2.62	0.23		
						*1999	3.50	3.50	42	3.50	0.21		
						2000	4.00	3.50	42	3.70	0.15	NEW CONST OR RECONST (FLEX)	2000
						2001	2.30	3.50	34	2.99	0.17		
						2002	2.40	5.00	34	3.91	0.20	SEALCOAT	2002
						2003	2.50	5.00	34	3.95	0.22		
						2004	2.50	5.00	34	3.95	0.23		
						2005	2.50	5.00	00	3.95	0.21		
						2006	2.50	5.00	00	3.95	0.26		
2	S.H.-13	001960	025.512	025.840	N	1997	3.50	2.00	26	2.62	0.19		
						1998	3.50	2.00	44	2.62	0.23		
						*1999	3.50	3.50	42	3.50	0.21		
						2000	3.50	5.00	43	4.37	0.08	NEW CONST OR RECONST (FLEX)	2000
						2001	2.50	5.00	43	3.95	0.15		
						2002	2.30	5.00	34	3.86	0.17	SEALCOAT	2002
						2003	2.30	5.00	34	3.86	0.14		
						2004	2.40	5.00	34	3.90	0.18		
						2005	2.40	5.00	00	3.90	0.16		
						2006	2.30	4.80	00	3.75	0.20		
2	S.H.-13	001960	025.840	026.390	N	1997	2.00	2.50	19	2.29	0.12		
						1998	2.00	4.50	32	3.45	0.17		
						1999	1.90	4.50	24	3.41	0.19		
						2000	2.80	4.50	24	3.79	0.13		
						2001	2.20	4.50	26	3.54	0.17		
						2002	2.50	4.50	26	3.66	0.15	SEALCOAT	2002
						2003	2.50	4.50	26	3.66	0.13		
						2004	2.50	4.50	26	3.66	0.15		
						2005	2.50	4.50	00	3.66	0.15		
						2006	2.50	4.50	00	3.66	0.21		
2	S.H.-13	001961	000.030	000.824	N	1997	3.00	5.00	19	4.28	0.10		
						1998	2.90	4.80	32	4.11	0.14		
						1999	2.90	4.80	54	4.11	0.16		
						2000	2.90	4.80	54	4.11	0.18		
						2001	2.90	4.80	54	4.11	0.19		
						2002	2.90	4.80	54	4.11	0.22	SEALCOAT	2002
						2003	2.60	4.80	26	4.00	0.21		
						2004	2.70	4.80	26	4.04	0.22		
						2005	2.70	4.80	00	4.04	0.21		
						2006	2.60	4.80	00	4.00	0.21		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	S.H.-14	001970	000.000	008.700	N	1997	3.60	4.50	60	4.12	0.08	
						1998	3.50	4.50	60	4.08	0.06	
						1999	3.50	4.50	60	4.08	0.07	
						2000	3.60	4.50	60	4.12	0.08	
						2001	3.50	4.50	54	4.08	0.08	
						2002	3.60	4.50	54	4.12	0.09	
						2003	3.60	4.50	54	4.12	0.08	
						2004	3.60	4.50	54	4.12	0.10	
						2005	3.50	4.50	00	4.08	0.11	
						2006	3.50	4.50	00	4.08	0.10	
2	S.H.-14	001970	008.700	016.782	N	1997	2.40	2.60	41	2.52	0.18	
						1998	2.20	2.60	38	2.44	0.19	
						1999	2.30	2.60	46	2.48	0.18	
						2000	2.50	2.60	46	2.56	0.17	
						2001	2.40	2.60	47	2.52	0.16	
						2002	2.60	2.60	47	2.60	0.19	
						2003	2.50	2.60	47	2.56	0.15	
						2004	2.50	1.90	47	2.12	0.17	
						2005	2.50	1.90	00	2.12	0.18	
						2006	2.50	1.90	00	2.12	0.17	
2	S.H.-14	001970	016.782	023.015	N	1997	2.90	5.00	41	4.13	0.11	PLANT MIX OVERLAY
						1998	3.00	5.00	46	4.17	0.06	
						1999	2.90	5.00	45	4.13	0.07	
						2000	3.00	4.80	45	4.05	0.07	
						2001	3.00	4.80	35	4.05	0.08	
						2002	3.10	4.80	35	4.09	0.08	
						2003	3.00	4.80	35	4.05	0.09	
						2004	3.00	4.80	35	4.05	0.08	
						2005	3.00	4.80	00	4.05	0.08	
						2006	3.00	4.80	00	4.05	0.09	
2	S.H.-14	001970	023.015	030.052	N	1997	2.90	2.50	36	2.66	0.14	SEALCOAT
						1998	2.80	2.50	41	2.62	0.10	
						1999	2.80	2.50	35	2.62	0.12	
						2000	2.80	2.50	35	2.62	0.11	
						2001	2.80	2.50	30	2.62	0.13	
						2002	2.80	2.50	30	2.62	0.14	
						2003	2.80	2.50	30	2.62	0.15	
						2004	2.80	2.50	30	2.62	0.15	
						2005	2.80	2.50	00	2.62	0.16	
						2006	2.80	2.50	00	2.62	0.17	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	S.H.-14	001970	030.052	035.607	N	1997	3.60	3.30	34	3.42	0.07	
						1998	3.50	3.30	41	3.38	0.07	
						1999	3.50	3.30	36	3.38	0.07	
						2000	3.60	3.00	36	3.24	0.08	
						2001	3.50	3.00	37	3.20	0.08	
						2002	3.40	3.00	37	3.16	0.09	
						2003	3.40	3.00	37	3.16	0.08	
						2004	3.30	3.00	37	3.12	0.10	
						2005	3.30	3.00	00	3.12	0.08	
						2006	3.30	3.00	00	3.12	0.08	
2	S.H.-14	001970	035.607	041.025	N	1997	3.50	3.30	40	3.38	0.10	
						1998	3.50	3.30	42	3.38	0.10	
						1999	3.50	3.30	42	3.38	0.11	
						2000	3.50	3.30	42	3.38	0.11	
						2001	3.40	3.30	34	3.34	0.14	
						2002	3.30	3.30	34	3.30	0.15	
						2003	3.30	2.60	34	2.88	0.16	
						2004	3.20	2.60	34	2.84	0.16	
						2005	3.20	2.60	00	2.84	0.15	
						2006	3.20	2.60	00	2.84	0.15	
2	S.H.-14	001970	041.025	046.690	N	1997	3.40	3.20	39	3.28	0.09	
						1998	3.40	3.20	42	3.28	0.10	
						1999	3.30	3.20	39	3.24	0.10	
						2000	3.40	3.00	39	3.16	0.10	
						2001	3.30	3.00	35	3.12	0.13	
						2002	3.20	3.00	35	3.08	0.15	
						2003	3.20	3.00	35	3.08	0.14	
						2004	3.10	3.00	35	3.04	0.16	
						2005	3.10	3.00	00	3.04	0.14	
						2006	3.10	3.00	00	3.04	0.14	
2	S.H.-14	001970	046.750	048.960	N	1997	3.20	2.30	38	2.63	0.12	
						1998	3.20	2.30	33	2.63	0.13	
						1999	3.10	2.30	20	2.60	0.16	
						2000	3.20	2.30	20	2.63	0.15	
						2001	3.10	2.30	30	2.60	0.19	
						2002	3.00	2.30	30	2.56	0.21	
						2003	3.10	2.30	30	2.60	0.17	
						2004	3.00	2.30	30	2.56	0.14	
2005	3.00	2.30	00	2.56	0.14							
2006	3.00	2.30	00	2.56	0.15							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	S.H.-14	001970	048.960	049.515	N	1997	3.30	5.00	47	4.36	0.09	
						1998	3.20	4.80	47	4.19	0.07	
						1999	3.20	4.80	44	4.19	0.09	
						2000	3.30	4.80	44	4.23	0.12	
						2001	3.30	4.20	32	3.86	0.12	
						2002	3.10	4.20	32	3.78	0.17	
						2003	3.10	4.20	32	3.78	0.17	
						2004	2.90	4.20	32	3.71	0.16	
						2005	2.90	4.20	00	3.71	0.15	
						2006	3.00	4.20	00	3.74	0.13	
2	S.H.-62	001940	000.020	000.308	N	1997	3.20	4.50	39	4.01	0.07	
						1998	3.00	4.50	47	3.93	0.07	
						1999	3.00	4.50	47	3.93	0.09	
						2000	3.00	4.50	47	3.96	0.12	
						2001	3.00	4.50	58	3.96	0.11	
						2002	3.30	4.50	58	4.04	0.09	
						2003	3.20	4.50	58	4.01	0.09	
						2004	3.20	4.00	58	3.69	0.12	
						2005	3.20	3.60	00	3.44	0.08	
						2006	3.20	3.60	00	3.44	0.05	
2	S.H.-62	001940	000.308	006.453	N	1997	3.70	4.50	53	4.17	0.09	
						1998	3.70	4.50	58	4.17	0.05	
						1999	3.60	4.50	56	4.13	0.05	
						2000	3.60	4.50	56	4.13	0.06	
						2001	3.60	4.50	59	4.13	0.04	
						2002	3.70	4.50	59	4.17	0.05	
						2003	3.60	4.50	59	4.13	0.04	
						2004	3.60	3.60	59	3.60	0.04	
						2005	3.60	3.60	00	3.60	0.05	
						2006	3.60	3.60	00	3.60	0.05	
2	S.H.-62	001940	006.453	013.618	N	1997	3.80	4.50	52	4.21	0.10	
						1998	3.70	4.50	59	4.17	0.06	
						1999	3.70	4.50	57	4.17	0.05	
						2000	3.70	4.50	57	4.17	0.07	
						2001	3.70	4.50	58	4.17	0.04	
						2002	3.70	4.50	58	4.17	0.06	
						2003	3.70	4.50	58	4.17	0.04	
						2004	3.70	4.10	58	3.93	0.04	
						2005	3.70	4.10	00	3.93	0.04	
						2006	3.70	4.10	00	3.93	0.04	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	S.H.-62	001940	013.618	015.117	N	1997	3.90	4.80	46	4.42	0.07	
						1998	3.80	4.80	49	4.38	0.05	
						1999	3.90	4.80	57	4.42	0.06	
						2000	3.80	4.80	57	4.38	0.05	
						2001	3.80	4.80	56	4.38	0.04	
						2002	3.80	4.80	56	4.38	0.04	
						2003	3.80	4.80	56	4.38	0.04	
						2004	3.80	4.80	56	4.38	0.05	
						2005	3.80	4.80	00	4.38	0.05	
						2006	3.80	4.80	00	4.38	0.07	
2	S.H.-62	001940	015.117	015.348	N	1997	3.40	4.50	43	4.08	0.06	
						1998	3.60	4.50	43	4.16	0.09	
						1999	3.40	1.90	43	2.46	0.07	
						2000	3.40	1.90	57	2.46	0.09	
						2001	3.40	1.90	56	2.46	0.10	
						2002	3.00	1.90	56	2.31	0.14	
						2003	3.30	1.90	56	2.42	0.10	
						2004	3.20	1.90	56	2.39	0.10	
						2005	3.30	1.90	00	2.42	0.06	
						2006	3.10	1.90	00	2.35	0.11	
2	S.H.-64	001940	015.348	015.886	N	1997	1.60	1.50	47	1.53	0.25	
						1998	1.60	1.50	47	1.53	0.27	
						1999	1.50	1.50	43	1.50	0.29	
						2000	2.20	1.50	43	1.76	0.22	
						2001	2.00	1.50	52	1.68	0.24	
						2002	1.80	1.50	52	1.61	0.25	
						2003	1.50	1.50	52	1.50	0.25	
						2004	1.90	1.50	52	1.65	0.25	
						2005	1.70	1.50	00	1.57	0.25	
						2006	1.80	1.50	00	1.61	0.28	
2	S.H.-64	001940	015.886	018.036	N	1997	2.10	1.20	50	1.57	0.30	
						1998	1.80	1.20	54	1.44	0.29	
						1999	2.50	1.20	51	1.73	0.27	
						2000	2.60	1.20	51	1.77	0.27	
						2001	2.60	1.20	37	1.77	0.27	
						2002	2.80	1.20	37	1.85	0.24	
						2003	2.70	1.20	37	1.81	0.24	
						2004	3.00	1.20	37	1.94	0.19	
						2005	3.00	1.20	00	1.94	0.17	
						2006	3.00	1.20	00	1.94	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	S.H.-64	001940	018.036	019.900	N	1997	2.70	1.00	45	1.70	0.34	
						1998	2.40	1.00	45	1.57	0.34	
						1999	2.70	1.00	64	1.70	0.28	
						2000	2.80	1.00	64	1.74	0.26	
						2001	2.80	1.00	47	1.74	0.26	
						2002	2.80	1.00	47	1.74	0.24	
						2003	2.80	1.00	47	1.74	0.23	
						2004	2.90	1.00	47	1.78	0.19	
						2005	3.00	1.00	00	1.82	0.18	
						2006	2.90	1.00	00	1.78	0.17	
2	S.H.-64	001940	019.900	021.050	N	1997	2.80	1.20	46	1.85	0.22	
						1998	2.60	1.20	50	1.77	0.23	
						1999	2.90	1.20	61	1.90	0.16	
						2000	2.80	1.20	61	1.85	0.19	
						2001	2.70	1.20	40	1.81	0.22	
						2002	2.80	1.20	40	1.85	0.22	
						2003	2.70	1.20	40	1.81	0.19	
						2004	3.10	1.20	40	1.98	0.18	
						2005	3.00	1.20	00	1.94	0.17	
						2006	3.00	1.20	00	1.94	0.17	
2	S.H.-64	001940	021.050	023.788	N	1997	2.80	1.30	53	1.86	0.22	
						1998	2.70	1.30	58	1.82	0.22	
						1999	2.50	1.30	58	1.75	0.19	
						2000	3.10	1.30	58	1.97	0.15	
						2001	3.00	1.30	41	1.93	0.16	
						2002	2.50	5.00	41	4.06	0.26	
						2003	3.30	5.00	41	4.36	0.13	
						2004	3.30	5.00	41	4.36	0.11	
						2005	3.30	5.00	00	4.36	0.09	
						2006	3.30	5.00	00	4.36	0.09	
2	S.H.-64	001940	026.925	030.357	N	1997	1.90	1.60	43	1.71	0.26	
						1998	1.90	1.50	41	1.65	0.25	
						1999	1.80	1.50	49	1.61	0.26	
						2000	2.40	1.50	49	1.83	0.23	
						2001	2.30	1.50	50	1.80	0.24	
						2002	2.20	1.50	50	1.76	0.23	
						2003	2.30	1.50	50	1.80	0.21	
						2004	2.20	1.50	50	1.76	0.23	
						2005	2.20	1.50	00	1.76	0.25	
						2006	2.20	1.50	00	1.76	0.22	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	S.H.-64	001940	030.357	030.819	N	1997	1.80	1.20	37	1.42	0.31	
						1998	1.90	1.20	37	1.46	0.27	
						1999	2.20	1.20	56	1.57	0.24	
						2000	2.50	1.20	56	1.69	0.24	
						2001	2.50	1.20	48	1.69	0.25	
						2002	3.00	1.20	48	1.87	0.27	
						2003	2.80	1.20	48	1.80	0.25	
						2004	2.70	1.20	48	1.76	0.29	
						2005	2.80	1.20	00	1.80	0.29	
						2006	2.70	1.20	00	1.76	0.30	
2	S.H.-67	002530	000.000	000.990	N	1997	3.40	2.90	59	3.10	0.16	
						1998	3.10	2.90	46	2.98	0.14	
						1999	3.10	3.00	57	3.04	0.15	
						2000	3.20	2.80	57	2.96	0.14	
						2001	3.20	2.80	52	2.96	0.15	
						2002	3.40	2.80	52	3.04	0.17	
						2003	3.40	2.80	52	3.04	0.15	
						2004	3.30	2.80	52	3.00	0.13	
						2005	3.40	2.80	00	3.04	0.14	
						2006	3.40	2.80	00	3.04	0.16	
2	I-90	005659	009.970	010.000	N	2004	3.30	5.00	52	4.30	0.13	
2	U.S.-95	001540	182.415	194.736	N	1997	1.60	5.00	48	3.37		PLANT MIX OVERLAY 1997
						1998	3.40	5.00	51	4.23	0.09	
						*1999	3.30	5.00	51	4.18	0.10	
						2000	3.40	4.80	51	4.17	0.12	
						2001	3.40	4.80	51	4.17	0.14	
						2002	3.30	4.80	51	4.12	0.18	
						2003	3.30	4.80	52	4.12	0.17	
						2004	3.30	4.80	52	4.12	0.20	
						2005	3.30	4.70	00	4.07	0.18	
						2006	3.30	4.70	00	4.07	0.19	
2	U.S.-95	001540	194.736	196.100	N	1997	2.40	2.10	33	2.24	0.14	
						1998	2.40	2.10	47	2.24	0.18	
						*1999	2.10	2.10	45	2.10	0.21	NEW CONST OR RECONST (FLEX) 1999
						2000	3.20	5.00	40	4.19	0.11	
						2001	3.20	5.00	40	4.19	0.10	
						2002	3.10	5.00	40	4.14	0.16	
						2003	3.10	5.00	52	4.14	0.14	
						2004	3.10	5.00	52	4.14	0.17	
						2005	3.10	5.00	00	4.14	0.17	
						2006	3.10	5.00	00	4.14	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-95	001540	196.100	197.630	N	1997	2.40	2.10	33	2.24	0.14	
						1998	2.40	2.10	47	2.24	0.18	SEALCOAT
						*1999	2.10	2.10	45	2.10	0.21	
						2000	2.80	2.10	45	2.43	0.20	
						2001	2.70	2.10	45	2.38	0.20	
						2002	2.70	3.20	45	2.96	0.23	
						2003	2.60	3.20	52	2.91	0.20	
						2004	2.60	3.20	52	2.91	0.21	
						2005	2.70	3.20	00	2.96	0.23	
						2006	2.60	3.20	00	2.91	0.21	
2	U.S.-95	001540	197.630	205.978	N	1997	3.70	4.80	45	4.27	0.09	
						1998	3.70	4.80	51	4.27	0.14	
						1999	3.60	4.80	51	4.22	0.14	
						2000	3.70	4.80	51	4.27	0.14	
						2001	3.70	4.80	51	4.27	0.14	
						2002	3.60	4.80	51	4.23	0.17	
						2003	3.60	4.80	52	4.23	0.16	
						2004	3.60	4.80	52	4.23	0.16	
						2005	3.60	4.80	00	4.23	0.16	
						2006	3.60	4.80	00	4.23	0.17	
2	U.S.-95	001540	205.978	213.514	N	1997	3.70	5.00	45	4.38	0.09	
						1998	3.60	5.00	50	4.33	0.12	
						1999	3.60	5.00	49	4.33	0.12	
						2000	3.70	4.80	49	4.27	0.14	
						2001	3.70	4.80	49	4.27	0.14	
						2002	3.60	4.80	49	4.23	0.16	
						2003	3.60	4.80	52	4.23	0.13	
						2004	3.60	4.80	52	4.23	0.15	
						2005	3.50	4.80	00	4.18	0.15	
						2006	3.60	4.80	00	4.23	0.16	
2	U.S.-95	001540	213.514	219.200	N	1997	3.20	3.50	31	3.35	0.17	SEALCOAT
						1998	3.10	3.50	53	3.31	0.21	
						1999	3.10	3.50	56	3.31	0.22	
						2000	3.20	3.50	56	3.35	0.23	
						2001	3.20	3.50	56	3.35	0.24	
						2002	3.10	3.50	56	3.30	0.27	
						2003	3.20	3.50	52	3.35	0.23	
						2004	3.10	3.50	52	3.30	0.24	
						2005	3.10	3.50	00	3.30	0.24	
						2006	3.20	3.50	00	3.35	0.26	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	U.S.-95	001540	219.240	223.800	N	1997	3.00	2.50	40	2.73	0.18	SEALCOAT	1997
						1998	3.10	2.50	50	2.78	0.17		
						1999	3.00	2.50	51	2.73	0.20		
						2000	3.10	2.50	51	2.78	0.20		
						2001	3.10	2.50	51	2.78	0.21		
						2002	3.00	2.50	51	2.73	0.22		
						2003	3.00	2.50	52	2.73	0.21		
						2004	2.90	2.50	52	2.69	0.20		
						2005	2.90	2.50	00	2.69	0.25		
						2006	3.00	2.50	00	2.73	0.23		
2	U.S.-95	001540	223.800	231.400	N	1997	3.30	4.50	40	3.92	0.06		
						1998	3.30	4.50	36	3.92	0.08		
						1999	3.20	4.50	39	3.88	0.08		
						2000	3.30	4.50	39	3.93	0.08		
						2001	3.30	4.50	39	3.92	0.10		
						2002	3.20	4.50	39	3.88	0.11		
						2003	3.20	4.50	52	3.88	0.11		
						2004	3.00	4.50	52	3.78	0.12		
						2005	3.00	4.50	00	3.78	0.15		
						2006	3.00	4.50	00	3.78	0.12		
2	U.S.-95	001540	231.400	234.338	N	1997	3.20	2.70	46	2.93	0.10		
						1998	3.20	2.70	49	2.93	0.14		
						1999	3.20	2.70	53	2.93	0.14		
						2000	3.20	2.70	53	2.93	0.12		
						2001	3.20	2.70	53	2.93	0.12		
						2002	3.10	2.70	53	2.89	0.14		
						2003	3.10	2.70	52	2.89	0.14		
						2004	3.00	2.70	52	2.84	0.15		
						2005	3.00	2.70	00	2.84	0.16		
						2006	3.00	2.70	00	2.84	0.13	PLANT MIX OVERLAY	2006
2	U.S.-95	001540	234.338	237.545	N	1997	3.60	2.60	48	3.07	0.13		
						1998	3.60	2.60	54	3.07	0.17		
						1999	3.60	2.60	57	3.07	0.13	SEALCOAT	1999
						2000	3.60	2.50	57	3.02	0.14		
						2001	3.60	2.50	57	3.02	0.15		
						2002	3.20	2.50	57	2.83	0.16		
						2003	3.30	2.50	52	2.88	0.13		
						2004	3.20	2.40	52	2.78	0.17		
						2005	3.20	2.40	44	2.78	0.17		
						2006	4.10	5.00	44	4.57	0.07	PLANT MIX OVERLAY	2006

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	U.S.-95	001540	237.545	239.539	N	1997	3.50	3.10	30	3.29	0.29		
						1998	3.50	3.10	43	3.29	0.37		
						1999	3.60	3.10	43	3.33	0.16	SEALCOAT	1999
						2000	3.70	3.00	43	3.33	0.18		
						2001	3.70	3.00	43	3.33	0.19		
						2002	3.40	3.00	43	3.19	0.23		
						2003	3.40	3.00	52	3.19	0.23		
						2004	3.40	3.00	52	3.19	0.27		
						2005	3.40	3.00	44	3.19	0.29		
						2006	4.00	5.00	44	4.52	0.07	PLANT MIX OVERLAY	2006
2	U.S.-95	001540	239.539	239.773	N	1997	3.20	4.00	30	3.64	0.13		
						1998	3.20	4.00	43	3.64	0.20		
						1999	3.30	4.00	43	3.68	0.13	SEALCOAT	1999
						2000	3.20	4.00	43	3.64	0.15		
						2001	3.40	4.00	43	3.73	0.15		
						2002	3.30	4.00	43	3.68	0.14		
						2003	3.40	4.00	52	3.73	0.12		
						2004	3.40	3.90	52	3.67	0.20		
						2005	3.40	3.60	44	3.51	0.17		
						2006	3.40	3.60	44	3.51	0.13		
2	U.S.-95	001540	239.773	240.310	N	1997	3.50	5.00	17	4.28	0.09		
						1998	3.50	5.00	30	4.28	0.15		
						1999	3.30	4.50	20	3.92	0.14		
						2000	3.40	4.50	20	3.97	0.18		
						2001	3.40	4.50	20	3.97	0.20		
						2002	3.30	4.50	20	3.92	0.20		
						2003	3.20	4.50	52	3.87	0.21		
						2004	3.20	4.00	52	3.61	0.21		
						2005	3.30	3.70	44	3.50	0.25		
						2006	3.30	3.70	44	3.50	0.21		
2	U.S.-95	001540	240.310	246.035	N	1997	3.90	4.00	39	3.95	0.07		
						1998	3.80	4.00	36	3.90	0.14		
						1999	3.80	4.00	35	3.90	0.14		
						2000	3.70	4.00	35	3.85	0.17		
						2001	3.70	4.00	35	3.85	0.20		
						2002	3.50	4.00	35	3.76	0.23		
						2003	3.50	4.00	52	3.76	0.21		
						2004	3.40	4.00	52	3.71	0.24		
						2005	3.30	4.00	44	3.66	0.30		
						2006	3.30	3.90	44	3.61	0.27		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	U.S.-95	001540	246.035	251.069	N	1997	4.00	4.40	43	4.20	0.11		
						1998	3.90	4.40	40	4.16	0.17		
						1999	3.90	4.40	40	4.16	0.17	GRIND AND JOINT SEAL (CONC)	1999
						2000	3.90	4.00	40	3.95	0.19		
						2001	3.90	4.00	40	3.95	0.25		
						2002	3.60	4.00	40	3.80	0.22		
						2003	3.70	4.00	52	3.85	0.20		
						2004	3.60	4.00	52	3.80	0.27		
						2005	3.50	4.00	44	3.76	0.23	MAJOR WIDENING	2005
						2006	3.40	4.00	44	3.71	0.21		
2	U.S.-95	001540	251.069	254.365	N	1997	2.90	2.80	46	2.84	0.07		
						1998	2.90	2.80	54	2.84	0.09		
						1999	3.60	2.80	52	3.18	0.04	GRIND AND JOINT SEAL (CONC)	1999
						2000	3.90	2.80	52	3.32	0.04		
						2001	3.90	2.80	52	3.32	0.04		
						2002	3.60	2.80	52	3.18	0.04		
						2003	3.80	2.80	52	3.27	0.05		
						2004	3.60	2.80	52	3.18	0.06		
						2005	3.40	2.40	44	2.87	0.06		
						2006	3.50	2.40	44	2.92	0.14		
2	U.S.-95	001540	254.365	255.448	N	1997	3.10	3.40	46	3.25	0.05		
						1998	3.00	3.40	58	3.20	0.04		
						1999	3.70	3.40	53	3.54	0.03	GRIND AND JOINT SEAL (CONC)	1999
						2000	4.00	3.00	53	3.47	0.04		
						2001	4.10	3.00	53	3.52	0.04		
						2002	3.70	3.00	53	3.33	0.03		
						2003	3.80	3.00	52	3.38	0.04		
						2004	3.60	3.00	52	3.28	0.05		
						2005	3.40	3.00	44	3.19	0.05		
						2006	3.70	3.00	44	3.33	0.06		
2	U.S.-95	001540	255.448	261.588	N	1997	3.10	3.40	44	3.25	0.05		
						1998	3.10	3.40	50	3.25	0.07		
						1999	3.70	3.40	50	3.54	0.04	GRIND AND JOINT SEAL (CONC)	1999
						2000	4.00	3.00	50	3.47	0.04		
						2001	4.00	3.00	50	3.47	0.04		
						2002	3.70	3.00	50	3.33	0.04		
						2003	3.80	3.00	52	3.38	0.05		
						2004	3.60	3.00	52	3.28	0.06		
						2005	3.50	3.00	44	3.23	0.05		
						2006	3.70	3.00	44	3.33	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-95	001540	271.802	272.400	N	1997	1.90	5.00	45	3.71	0.12	
						1998	2.00	4.80	45	3.63	0.14	
						1999	2.10	4.80	47	3.68	0.14	
						2000	2.20	4.80	47	3.72	0.16	
						2001	2.00	4.80	47	3.63	0.16	
						2002	2.10	4.80	47	3.68	0.13	
						2003	1.90	4.80	60	3.60	0.13	
						2004	1.90	4.40	49	3.36	0.13	
						2005	1.90	4.40	45	3.36	0.13	
						2006	2.30	4.00	45	3.35	0.08	
2	U.S.-95	001540	272.380	273.544	N	1997	1.90	5.00	45	3.71	0.12	
						1998	2.00	4.80	45	3.63	0.14	
						1999	2.10	4.80	47	3.68	0.14	
						2000	2.20	4.80	47	3.72	0.16	
						2001	2.00	4.80	47	3.63	0.16	
						2002	2.10	4.80	47	3.68	0.13	
						2003	1.90	4.80	60	3.60	0.13	
						2004	1.90	4.40	49	3.36	0.13	
						2005	1.90	4.40	45	3.36	0.13	
						2006	2.10	4.40	45	3.44	0.15	
2	U.S.-95	001540	273.735	273.901	N	1997	3.80	4.50	42	4.16	0.07	
						1998	3.90	4.50	50	4.21	0.07	
						1999	3.80	4.50	49	4.16	0.06	
						2000	3.90	4.50	49	4.21	0.05	
						2001	3.90	4.50	49	4.21	0.06	
						2002	3.50	4.50	49	4.02	0.06	
						2003	3.40	4.50	49	3.97	0.05	
						2004	3.50	4.30	49	3.91	0.09	
						2005	2.50	4.30	44	3.43	0.11	C.R.A.B.S.
						2006	3.30	4.30	44	3.82	0.10	
2	U.S.-95	001540	273.901	291.400	N	1997	3.50	2.90	42	3.18	0.11	
						1998	3.60	4.50	48	4.07	0.08	SEALCOAT
						1999	3.50	3.90	46	3.70	0.09	
						2000	3.60	3.90	46	3.75	0.09	
						2001	3.60	3.90	46	3.75	0.08	
						2002	3.30	3.90	46	3.61	0.11	
						2003	3.30	3.80	49	3.56	0.12	
						*2004	3.50	3.40	49	3.44	0.14	
2005	3.50	5.00	37	4.28	0.11	C.R.A.B.S.						
2006	3.50	5.00	37	4.28	0.15							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	U.S.-95	001540	291.400	297.100	N	1997	3.50	5.00	42	4.28	0.10	PLANT MIX OVERLAY SEALCOAT	1997
						1998	3.60	5.00	24	4.33	0.12		1998
						1999	3.60	5.00	35	4.32	0.15		
						2000	3.60	5.00	35	4.33	0.19		
						2001	3.60	4.80	35	4.22	0.21		
						2002	3.50	4.80	35	4.17	0.26		
						2003	3.50	4.80	49	4.17	0.25		
						2004	3.50	4.80	49	4.17	0.30		
						2005	3.40	4.80	47	4.12	0.35		
						2006	3.50	4.80	47	4.17	0.32		
2	U.S.-95	001540	297.100	300.309	N	1997	3.40	3.80	42	3.60	0.27		
						1998	3.40	3.80	38	3.60	0.32		
						1999	3.40	3.80	40	3.60	0.35		
						2000	3.40	3.80	40	3.60	0.31		
						2001	3.40	3.80	40	3.60	0.33		
						2002	3.30	3.80	40	3.56	0.40		
						2003	3.20	3.80	49	3.51	0.39		
						2004	3.20	3.80	49	3.51	0.40		
						2005	3.20	3.80	39	3.51	0.38		
						2006	3.10	3.80	39	3.46	0.40		
2	U.S.-95	001540	300.309	304.715	N	1997	2.90	2.50	42	2.69	0.22		
						1998	2.80	2.50	40	2.64	0.27		
						1999	2.90	2.50	41	2.69	0.27		
						2000	2.90	2.50	41	2.69	0.27		
						2001	2.90	2.50	41	2.69	0.29		
						2002	2.70	2.50	41	2.59	0.33		
						2003	2.70	2.50	49	2.59	0.31		
						2004	2.80	2.50	49	2.64	0.34		
						2005	2.80	2.50	38	2.64	0.30		
						2006	2.90	2.50	38	2.69	0.29		
2	U.S.-95	001540	304.715	305.365	ASC	1997	3.40	5.00	31	4.23	0.23		
						1998	3.20	5.00	33	4.13	0.28		
						1999	3.20	5.00	37	4.13	0.34		
						2000	3.40	5.00	37	4.23	0.28		
						2001	3.30	5.00	37	4.18	0.37		
						2002	3.00	5.00	37	4.03	0.38		
						2003	3.10	4.00	49	3.56	0.45		
						2004	3.10	3.40	49	3.25	0.36		
						2005	2.90	3.30	30	3.10	0.50		
						2006	4.10	5.00	30	4.56	0.14	RUT FILLING	2006
2	U.S.-95	001540	304.715	305.365	DES	1997	3.40	5.00	38	4.23	0.23		
						1998	3.60	5.00	38	4.32	0.26		
						1999	3.40	5.00	40	4.23	0.31		
						2000	3.60	5.00	40	4.32	0.35		
						2001	3.40	5.00	40	4.23	0.35		
						2002	3.40	5.00	40	4.23	0.40		
						2003	3.30	5.00	49	4.18	0.42		

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
						2004	3.20	5.00	49	4.13	0.53	
						2005	3.20	5.00	36	4.13	0.54	
						2006	4.00	5.00	36	4.51	0.12	RUT FILLING
2	U.S.-95	001540	305.365	310.070	ASC	1997	4.00	4.50	30	4.25	0.15	
						1998	3.90	4.50	29	4.21	0.23	
						1999	4.00	4.50	30	4.25	0.26	
						2000	4.00	4.50	30	4.25	0.27	
						2001	3.90	4.50	30	4.21	0.29	
						2002	3.80	4.50	30	4.16	0.36	
						2003	3.90	4.50	49	4.21	0.37	
						2004	3.80	4.50	49	4.16	0.43	
						2005	3.80	4.50	23	4.16	0.41	
						2006	4.20	5.00	23	4.61	0.09	RUT FILLING
2	U.S.-95	001540	305.365	310.070	DES	1997	4.00	4.40	31	4.20	0.16	
						1998	4.00	4.40	31	4.20	0.23	
						1999	3.90	4.40	35	4.15	0.27	
						2000	4.00	4.40	35	4.20	0.32	
						2001	4.00	4.40	35	4.20	0.32	
						2002	3.80	4.40	35	4.11	0.41	
						2003	3.80	4.40	49	4.11	0.35	
						2004	3.80	4.40	49	4.11	0.44	
						2005	3.80	4.40	35	4.11	0.36	
						2006	4.20	4.40	35	4.30	0.11	RUT FILLING
2	U.S.-95	001540	310.070	311.920	ASC	1997	4.10	5.00	28	4.59	0.15	
						1998	4.00	5.00	27	4.54	0.25	
						1999	4.10	5.00	27	4.59	0.28	
						2000	4.10	5.00	27	4.59	0.24	
						2001	4.00	5.00	27	4.54	0.28	
						2002	3.90	5.00	27	4.49	0.40	
						2003	3.90	5.00	49	4.49	0.40	
						2004	3.90	5.00	49	4.50	0.40	
						2005	3.90	5.00	35	4.50	0.46	
						2006	4.30	5.00	35	4.68	0.11	RUT FILLING
2	U.S.-95	001540	310.070	311.920	DES	1997	4.10	5.00	29	4.59	0.15	
						1998	4.20	4.80	29	4.52	0.19	
						1999	4.20	4.80	29	4.52	0.28	
						2000	4.30	4.80	29	4.57	0.19	
						2001	4.20	4.80	29	4.52	0.32	
						2002	3.70	4.80	29	4.29	0.36	
						2003	3.90	4.80	49	4.39	0.28	
						2004	3.80	4.80	49	4.34	0.38	
						2005	3.90	4.80	36	4.39	0.35	
						2006	4.10	4.80	36	4.48	0.10	RUT FILLING

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	U.S.-95	001540	311.920	312.500	N	1997	2.90	4.50	43	3.78	0.11		
						1998	2.70	4.50	45	3.69	0.10		
						1999	2.80	4.50	48	3.74	0.11		
						2000	2.90	4.50	48	3.78	0.11		
						2001	2.80	4.50	48	3.74	0.11		
						2002	2.90	4.50	48	3.78	0.12		
						2003	2.60	4.50	49	3.65	0.09	PLANT MIX SEAL	2003
						2004	3.60	4.50	49	4.08	0.09		
						2005	3.60	4.50	36	4.09	0.08		
						2006	3.70	4.50	36	4.14	0.07	RUT FILLING	2006
2	U.S.-95	001540	312.500	317.420	ASC	1997	3.30	5.00	45	4.19	0.14		
						*1998	3.40	5.00	36	4.23	0.15		
						1999	3.30	5.00	51	4.18	0.15	MILL AND INLAY	1999
						2000	3.40	4.50	51	3.97	0.15		
						2001	3.30	4.50	51	3.92	0.17		
						2002	3.10	4.50	51	3.82	0.19		
						2003	2.00	4.50	49	3.29	0.09	PLANT MIX SEAL	2003
						2004	3.90	4.50	49	4.21	0.10		
						2005	3.90	4.50	47	4.21	0.10		
						2006	3.90	4.50	47	4.21	0.10		
2	U.S.-95	001540	312.500	317.420	DES	1997	3.30	5.00	45	4.19	0.14		
						*1998	2.90	5.00	36	3.99	0.14		
						1999	3.70	5.00	51	4.37	0.06	MILL AND INLAY	1999
						2000	3.70	4.80	51	4.27	0.10		
						2001	3.70	4.80	51	4.27	0.11		
						2002	3.60	4.80	51	4.22	0.13		
						2003	3.50	4.80	49	4.17	0.14	PLANT MIX SEAL	2003
						2004	3.40	4.80	49	4.12	0.17		
						2005	3.30	4.80	47	4.07	0.17		
						2006	3.10	4.80	47	3.98	0.23		
2	U.S.-95	001540	317.420	319.880	ASC	1997	3.30	5.00	45	4.19	0.14		
						*1998	3.40	5.00	36	4.23	0.15		
						1999	3.10	5.00	50	4.09	0.25		
						2000	3.10	5.00	50	4.09	0.28		
						2001	3.00	5.00	50	4.04	0.29		
						2002	3.20	4.80	50	4.04	0.26		
						2003	2.80	4.50	49	3.69	0.23	PLANT MIX SEAL	2003
						2004	3.30	2.40	49	2.82	0.22		
						2005	3.20	2.40	42	2.78	0.28		
						2006	3.40	2.40	42	2.87	0.24		
2	U.S.-95	001540	317.420	319.880	DES	1997	3.30	5.00	45	4.19	0.14		
						*1998	2.90	5.00	36	3.99	0.14		
						1999	3.00	5.00	50	4.04	0.18		
						2000	3.10	5.00	50	4.09	0.16		
						2001	3.00	5.00	50	4.04	0.22		
						2002	3.00	4.00	50	3.52	0.24		
2003	3.00	3.50	49	3.26	0.17	PLANT MIX SEAL	2003						

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
						2004	3.00	3.50	49	3.26	0.21	
						2005	3.00	2.40	42	2.68	0.19	
						2006	3.10	2.40	42	2.73	0.16	
2	U.S.-95	001540	323.190	323.220	N	*1997	2.70	2.50	40	2.59	0.25	
						1998	2.80	2.50	34	2.64	0.46	
						1999	2.80	2.50	44	2.64	0.28	
						2000	3.00	2.50	44	2.73	0.20	
						2001	2.90	2.50	44	2.69	0.22	
						2002	2.90	2.50	44	2.69	0.23	
						2003	2.90	2.50	49	2.69	0.25	
						2004	2.90	2.40	49	2.64	0.24	
						2005	2.90	5.00	26	3.99	0.28	
						2006	1.90	5.00	42	3.51	0.10	
2	U.S.-95	001540	326.640	328.812	N	*1997	2.70	2.50	40	2.59	0.25	PLANT MIX OVERLAY
						1998	3.60	5.00	53	4.33	0.08	SEALCOAT
						1999	3.60	5.00	53	4.32	0.07	
						2000	3.70	5.00	53	4.37	0.08	
						2001	3.60	5.00	53	4.33	0.11	
						2002	3.60	5.00	53	4.33	0.15	
						2003	3.60	5.00	49	4.33	0.15	
						2004	3.50	5.00	49	4.28	0.19	
						2005	3.60	5.00	26	4.32	0.16	
						2006	3.40	5.00	42	4.23	0.18	
2	U.S.-95	001540	328.812	329.891	N	*1997	3.50	3.00	40	3.23	0.22	
						1998	3.30	3.00	31	3.14	0.23	SEALCOAT
						1999	3.30	3.00	45	3.14	0.28	
						2000	3.30	3.00	45	3.14	0.18	
						2001	3.40	3.00	45	3.19	0.16	
						2002	3.20	3.00	45	3.09	0.21	
						2003	3.30	3.00	49	3.14	0.15	
						2004	3.20	3.00	49	3.09	0.19	
						2005	3.20	3.00	33	3.09	0.31	
						2006	3.10	3.00	33	3.04	0.26	
2	U.S.-95	001540	329.891	330.890	N	1997	3.50	3.50	40	3.50	0.16	
						1998	3.50	3.50	31	3.50	0.22	
						1999	3.50	3.50	43	3.50	0.28	
						2000	3.50	3.00	43	3.24	0.21	
						2001	3.50	3.00	43	3.24	0.25	
						2002	3.20	3.00	43	3.09	0.25	
						2003	3.20	3.00	49	3.09	0.28	
						2004	3.40	3.00	49	3.19	0.27	
						2005	3.40	3.00	31	3.19	0.24	
						2006	3.50	5.00	31	4.28	0.15	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-95	001540	337.633	338.100	N	1997	3.50	3.50	40	3.50	0.16	
						1998	3.50	3.50	31	3.50	0.22	
						1999	3.50	3.50	43	3.50	0.28	
						2000	3.50	3.00	43	3.24	0.21	
						2001	3.50	3.00	43	3.24	0.25	
						2002	3.20	3.00	43	3.09	0.25	
						2003	3.20	3.00	49	3.09	0.28	
						2004	3.40	3.00	49	3.19	0.27	
						2005	3.40	3.00	31	3.19	0.24	SEALCOAT
						2006	3.50	5.00	31	4.28	0.21	
2	U.S.-95	001540	338.100	343.601	N	1997	3.10	3.80	38	3.46	0.24	
						1998	3.10	3.80	30	3.46	0.36	
						1999	3.10	3.80	42	3.46	0.33	
						2000	3.20	3.50	42	3.35	0.30	
						2001	3.20	3.50	42	3.35	0.35	
						2002	3.10	3.50	42	3.30	0.37	
						2003	3.20	3.50	49	3.35	0.46	
						2004	3.10	3.20	49	3.15	0.36	
						2005	3.30	3.20	39	3.24	0.19	SEALCOAT
						2006	3.50	3.20	39	3.33	0.17	
2	U.S.-95	001540	343.601	344.026	N	1997	3.30	4.00	29	3.69	0.23	
						1998	3.10	4.00	32	3.61	0.32	
						1999	3.20	4.00	49	3.66	0.33	
						2000	3.30	4.00	49	3.69	0.32	
						2001	3.30	3.80	49	3.58	0.35	
						2002	2.80	3.80	49	3.36	0.47	
						*2003	3.10	3.80	49	3.49	0.49	
						2004	3.00	5.00	49	4.15	0.41	
						2005	3.20	5.00	37	4.23	0.15	
						2006	3.30	3.50	37	3.41	0.13	
2	U.S.-95	001540	344.026	344.767	N	1997	3.30	4.00	29	3.69	0.23	
						1998	3.10	4.00	32	3.61	0.32	
						1999	3.20	4.00	49	3.66	0.33	
						2000	3.30	4.00	49	3.69	0.32	
						2001	3.30	3.80	49	3.58	0.35	
						2002	2.80	3.80	49	3.36	0.47	
						*2003	3.10	3.80	49	3.49	0.49	
						2004	3.50	5.00	49	4.34	0.11	NEW CONST OR RECONST (FLEX)
2005	2.80	5.00	37	4.04	0.07							
2006	2.70	5.00	37	4.00	0.12							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-95	001540	345.480	345.566	N	1997	1.90	5.00	37	3.68	0.27	
						1998	1.60	5.00	44	3.55	1.57	
						1999	1.60	3.90	68	2.90	0.23	
						2000	2.00	2.50	68	2.28	0.21	
						2001	1.30	2.50	68	1.98	0.29	
						2002	1.90	2.50	68	2.24	0.20	
						2003	1.70	2.30	49	2.04	0.23	
						2004	1.80	2.30	49	2.08	0.31	
						2005	1.90	2.30	50	2.12	0.31	
						2006	1.40	2.30	50	1.91	0.49	
2	U.S.-95	001540	345.566	345.637	N	1997	2.30	3.40	37	2.91	0.15	
						1998	2.10	3.40	29	2.83	0.24	
						1999	2.30	3.00	29	2.70	0.22	
						2000	1.40	2.90	29	2.24	0.20	
						2001	1.50	2.90	29	2.28	0.29	
						2002	1.20	2.90	68	2.15	0.40	
						2003	1.30	2.30	49	1.86	0.18	
						2004	2.00	2.30	49	2.16	0.33	
						2005	2.30	2.30	50	2.30	0.27	
						2006	2.40	2.30	50	2.34	0.32	
2	U.S.-95	001540	345.637	345.950	N	1997	1.70	2.00	39	1.87	0.21	
						1998	1.50	2.00	36	1.78	0.30	
						1999	1.70	2.00	36	1.87	0.23	
						2000	2.50	2.00	36	2.21	0.19	
						2001	2.10	2.00	36	2.04	0.19	
						2002	2.20	2.00	68	2.08	0.22	
						2003	1.80	2.00	49	1.91	0.25	
						2004	1.90	2.00	49	1.95	0.22	
						2005	3.00	2.00	50	2.42	0.15	
						2006	2.90	2.00	50	2.38	0.17	
2	U.S.-95	001540	345.950	346.604	N	1997	3.30	2.90	31	3.08	0.18	
						1998	3.20	2.90	49	3.03	0.18	
						1999	3.10	2.90	47	2.99	0.16	
						2000	3.30	2.90	47	3.08	0.18	
						2001	3.00	2.90	47	2.94	0.22	
						2002	3.20	3.20	47	3.20	0.19	
						2003	3.00	3.20	49	3.10	0.19	
						2004	2.90	3.20	49	3.06	0.18	
						2005	3.20	3.20	32	3.20	0.16	
						2006	3.20	3.00	32	3.09	0.23	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-95	001540	346.604	350.730	N	1997	3.40	2.50	39	2.93	0.15	
						1998	3.60	2.50	63	3.02	0.06	
						1999	3.40	2.50	55	2.93	0.06	
						2000	3.50	2.40	55	2.92	0.10	
						2001	3.50	2.40	55	2.92	0.14	
						2002	3.60	5.00	55	4.32	0.17	
						2003	3.60	5.00	49	4.32	0.18	
						2004	3.60	5.00	49	4.32	0.19	
						2005	3.60	4.30	33	3.96	0.21	
						2006	3.50	3.70	33	3.60	0.21	
2	U.S.-95	001540	350.730	352.130	N	1997	3.30	3.30	38	3.30	0.21	
						1998	3.50	3.30	53	3.39	0.06	
						1999	3.40	3.30	56	3.34	0.05	
						2000	3.50	3.30	56	3.39	0.07	
						2001	3.50	3.30	56	3.39	0.12	
						2002	3.40	5.00	56	4.23	0.12	
						2003	3.40	5.00	49	4.23	0.15	
						2004	3.40	5.00	49	4.23	0.14	
						2005	3.40	5.00	33	4.23	0.17	
						2006	3.30	5.00	33	4.18	0.20	
2	U.S.-95	001540	352.130	353.599	N	1997	3.40	3.30	37	3.34	0.13	
						1998	3.70	3.30	58	3.49	0.06	
						1999	3.60	3.30	58	3.44	0.05	
						2000	3.70	3.30	58	3.49	0.09	
						2001	3.70	3.30	58	3.49	0.12	
						2002	3.60	3.30	58	3.44	0.16	
						2003	3.70	3.30	49	3.49	0.17	
						2004	3.70	3.30	49	3.49	0.23	
						2005	3.70	3.30	32	3.49	0.17	
						2006	3.60	3.30	32	3.44	0.24	
2	U.S.-95	001540	353.599	354.655	N	1997	3.40	2.70	42	3.03	0.13	
						1998	3.50	2.70	41	3.08	0.10	
						1999	3.50	3.10	49	3.29	0.07	
						2000	3.60	3.10	49	3.33	0.11	
						2001	3.60	3.10	49	3.33	0.11	
						2002	3.60	3.10	49	3.33	0.16	
						2003	3.60	3.10	49	3.33	0.17	
						2004	3.60	3.10	49	3.33	0.21	
2005	3.60	3.10	34	3.33	0.19							
2006	3.60	3.10	34	3.33	0.14							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-95	001540	354.655	355.905	N	1997	3.60	4.80	37	4.22	0.07	
						1998	3.50	4.80	33	4.17	0.09	
						1999	3.50	4.80	49	4.17	0.11	
						2000	3.60	4.80	49	4.22	0.07	
						2001	3.50	4.80	49	4.17	0.10	
						2002	3.40	4.80	49	4.12	0.09	
						2003	3.40	4.80	49	4.12	0.11	
						2004	3.40	4.80	49	4.12	0.14	
						2005	3.40	3.90	39	3.66	0.13	
						2006	3.30	3.40	39	3.35	0.13	
2	U.S.-95	001540	355.905	357.100	N	1997	3.30	3.00	42	3.14	0.13	
						1998	3.70	3.00	54	3.33	0.06	
						1999	3.70	3.10	58	3.38	0.05	
						2000	3.70	3.10	58	3.38	0.06	
						2001	3.70	3.10	58	3.38	0.07	
						2002	3.60	5.00	58	4.32	0.09	
						2003	3.60	5.00	49	4.32	0.10	
						2004	3.60	5.00	49	4.32	0.13	
						2005	3.60	5.00	32	4.32	0.15	
						2006	3.50	5.00	32	4.28	0.11	
2	U.S.-95	001540	357.100	359.400	N	1997	3.40	2.50	40	2.93	0.15	
						1998	3.70	2.50	52	3.07	0.06	
						1999	3.80	2.50	57	3.12	0.04	
						2000	3.80	2.50	57	3.12	0.07	
						2001	3.80	2.50	57	3.12	0.09	
						2002	3.80	5.00	57	4.42	0.13	
						2003	3.70	5.00	49	4.37	0.12	
						2004	3.80	5.00	49	4.42	0.13	
						2005	3.80	5.00	28	4.42	0.14	
						2006	3.70	5.00	28	4.37	0.14	
2	U.S.-95	001540	359.400	360.300	N	1997	3.30	2.90	38	3.09	0.16	
						1998	3.30	2.90	47	3.09	0.17	
						1999	3.30	2.90	56	3.09	0.15	
						2000	3.30	2.70	56	2.98	0.19	
						2001	3.30	2.70	56	2.98	0.16	
						2002	3.20	5.00	56	4.13	0.17	
						2003	3.20	5.00	49	4.13	0.13	
						2004	3.10	5.00	49	4.09	0.15	
						2005	3.20	5.00	26	4.13	0.17	
						2006	3.20	5.00	26	4.13	0.16	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-95	001540	360.300	361.724	N	1997	3.10	2.70	37	2.89	0.15	
						1998	2.70	2.70	50	2.70	0.11	
						1999	2.60	2.70	56	2.65	0.09	
						2000	2.80	2.50	56	2.64	0.11	
						2001	2.70	2.50	56	2.59	0.12	
						2002	2.90	5.00	56	3.99	0.13	
						2003	2.90	5.00	49	3.99	0.13	
						2004	2.90	5.00	49	3.99	0.15	
						2005	2.90	5.00	34	3.99	0.15	
						2006	2.90	5.00	34	3.99	0.13	
2	U.S.-95	001540	361.724	366.473	N	1997	2.90	2.70	41	2.79	0.17	
						1998	2.90	2.50	31	2.68	0.26	
						1999	2.90	2.50	56	2.69	0.25	
						2000	2.30	2.50	56	2.40	0.18	
						2001	3.30	2.50	56	2.88	0.07	
						2002	3.60	5.00	56	4.33	0.08	
						2003	3.60	5.00	49	4.33	0.08	
						2004	3.60	5.00	49	4.33	0.12	
						2005	3.60	5.00	32	4.33	0.13	
						2006	3.60	5.00	32	4.33	0.13	
2	U.S.-95	001540	366.473	371.599	N	1997	2.90	2.50	45	2.69	0.24	
						1998	2.90	2.50	38	2.68	0.41	
						1999	2.90	2.50	60	2.69	0.23	
						2000	3.00	2.40	60	2.68	0.23	
						2001	3.10	2.40	60	2.73	0.16	
						2002	3.10	4.50	60	3.83	0.21	
						2003	3.10	2.70	49	2.89	0.22	
						2004	3.10	2.40	49	2.73	0.24	
						2005	3.60	5.00	45	4.33	0.25	NEW CONST OR RECONST (FLEX)
						2006	3.70	5.00	45	4.38	0.06	2005
2	U.S.-95	001544	254.820	254.999	N	1997	2.00	1.70	49	1.81	0.20	
						1998	2.00	1.70	49	1.81	0.19	
						1999	2.10	1.70	49	1.85	0.21	
						2000	2.00	1.70	60	1.81	0.23	
						2001	1.80	1.70	59	1.73	0.24	
						2002	1.80	1.60	59	1.67	0.24	
						2003	1.80	1.60	59	1.67	0.24	
						2004	1.80	1.60	59	1.67	0.24	
						2005	3.60	1.60	45	2.35	0.25	
						2006	3.70	1.60	45	2.39	0.06	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-95	001544	254.999	255.190	N	1997	2.60	3.00	39	2.84	0.13	
						1998	2.40	3.00	39	2.77	0.12	
						1999	2.40	3.00	32	2.77	0.11	
						2000	2.60	3.00	32	2.84	0.14	
						2001	2.40	3.00	46	2.77	0.15	
						2002	2.20	3.00	46	2.69	0.15	
						2003	2.20	3.00	46	2.69	0.14	
						2004	3.00	3.00	46	3.00	0.11	
						2005	3.10	3.00	45	3.03	0.11	
						2006	3.00	3.00	45	3.00	0.12	
2	U.S.-95	001544	255.190	255.903	N	1997	2.40	2.60	32	2.52	0.22	
						1998	2.30	2.60	32	2.48	0.23	
						1999	2.20	2.60	44	2.44	0.27	
						2000	2.30	2.60	44	2.48	0.29	
						2001	2.20	2.60	49	2.44	0.27	
						2002	2.00	2.60	49	2.37	0.20	
						2003	2.20	2.60	49	2.44	0.27	
						2004	2.80	2.60	49	2.67	0.11	
						2005	2.90	2.60	45	2.71	0.09	
						2006	2.90	2.60	45	2.71	0.10	
2	U.S.-95	001544	255.903	256.240	N	1997	3.00	1.90	32	2.31	0.17	
						1998	2.90	1.90	32	2.27	0.17	
						1999	2.80	1.90	57	2.23	0.16	
						2000	2.90	1.90	57	2.27	0.17	
						2001	2.80	1.90	60	2.23	0.19	
						2002	2.60	1.90	60	2.16	0.20	
						2003	2.70	1.90	60	2.20	0.20	
						2004	3.30	1.90	60	2.47	0.13	
						2005	3.30	1.90	45	2.42	0.13	
						2006	3.40	1.90	45	2.46	0.13	
2	U.S.-95	001545	000.100	002.359	N	1997	2.90	1.50	36	2.07	0.21	
						1998	2.80	1.50	36	2.03	0.21	
						1999	3.10	1.50	55	2.16	0.17	
						2000	3.10	1.50	55	2.16	0.19	
						2001	3.10	1.50	45	2.16	0.15	
						2002	3.00	1.50	45	2.11	0.16	
						2003	2.90	1.50	45	2.07	0.16	
						2004	2.90	1.50	45	2.07	0.17	
2005	2.80	1.50	45	2.03	0.19							
2006	2.80	1.50	45	2.03	0.19							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-95	001545	002.359	002.645	N	1997	2.30	2.00	37	2.11	0.26	
						*1998	2.20	2.00	37	2.07	0.28	
						1999	3.00	2.00	49	2.37	0.27	
						2000	3.10	2.00	49	2.41	0.27	
						2001	3.20	2.00	49	2.45	0.24	
						2002	3.00	2.00	49	2.37	0.22	
						2003	2.80	2.00	49	2.30	0.28	
						2004	2.80	1.80	49	2.17	0.32	
						2005	2.70	1.80	45	2.13	0.33	
						2006	2.50	1.80	45	2.06	0.39	
2	U.S.-95	001545	002.645	002.900	N	1997	2.30	2.00	37	2.11	0.26	
						*1998	2.20	2.00	37	2.07	0.28	
						1999	1.90	1.70	40	1.77	0.17	
						2000	2.90	1.70	49	2.15	0.14	
						2001	2.90	1.70	49	2.15	0.12	
						2002	3.10	1.70	49	2.22	0.10	
						2003	2.70	1.70	49	2.07	0.12	
						2004	2.60	1.70	49	2.03	0.17	
						2005	2.70	1.70	45	2.07	0.16	
						2006	2.60	1.70	45	2.03	0.18	
2	U.S.-95	001545	002.900	004.119	N	1997	2.10	1.50	39	1.74	0.12	
						1998	2.00	1.50	39	1.70	0.09	
						1999	1.70	1.50	43	1.58	0.13	
						2000	4.00	1.50	43	2.53	0.12	
						2001	3.90	1.50	52	2.48	0.09	
						2002	3.40	1.50	52	2.28	0.09	
						2003	3.50	1.50	52	2.32	0.09	
						2004	3.40	1.50	52	2.28	0.11	
						2005	3.30	1.50	45	2.24	0.13	
						2006	3.20	1.50	45	2.20	0.13	
2	U.S.-95	001546	311.920	312.673	N	1997	3.10	3.50	43	3.32	0.11	
						1998	3.00	3.50	37	3.27	0.09	
						1999	3.10	3.50	37	3.32	0.11	
						2000	3.30	3.50	37	3.41	0.15	
						2001	3.20	3.50	37	3.36	0.11	
						2002	3.10	3.50	48	3.32	0.11	
						2003	3.40	3.50	49	3.45	0.18	
						2004	3.30	3.50	49	3.41	0.27	
						2005	3.20	3.50	28	3.36	0.27	
						2006	3.50	3.50	28	3.50	0.11	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-95	001547	000.063	000.500	N	1997	1.50	3.50	39	2.64	0.12	
						1998	1.40	3.50	39	2.60	0.13	
						1999	1.30	3.50	39	2.55	0.14	
						2000	1.40	3.00	68	2.31	0.14	
						2001	1.30	3.00	68	2.27	0.14	
						2002	1.40	3.00	68	2.31	0.16	
						2003	1.40	3.00	49	2.31	0.16	
						2004	1.30	2.40	49	1.92	0.18	
						2005	1.20	2.40	50	1.88	0.19	
						2006	1.30	2.40	50	1.92	0.22	
2	U.S.-95	001552	323.050	323.190	N	1997	2.10	4.60	39	3.41	0.12	
						1998	2.00	4.60	39	3.36	0.09	
						1999	1.70	4.60	43	3.22	0.13	
						2000	4.00	4.60	43	4.31	0.12	
						2001	3.90	4.60	52	4.26	0.09	
						2002	2.70	4.60	52	3.69	0.06	
						2003	2.70	4.60	52	3.69	0.06	
						2004	2.70	4.00	60	3.38	0.06	
						2005	2.70	4.00	45	3.38	0.06	
						2006	3.20	4.00	45	3.62	0.13	
2	U.S.-95	001553	345.051	345.349	N	1997	1.50	2.80	35	2.23	0.45	
						1998	1.50	2.80	35	2.23	0.38	
						1999	1.20	2.80	35	2.10	0.28	
						2000	1.10	2.80	18	2.06	0.38	
						2001	1.60	2.80	18	2.28	0.33	
						2002	1.80	2.80	49	2.36	0.42	
						2003	2.00	2.80	49	2.45	0.32	
						2004	1.80	2.70	49	2.31	0.13	
						2005	1.80	2.70	37	2.31	0.36	
						2006	1.00	2.40	37	1.79	0.67	
2	U.S.-95	001553	345.349	345.560	N	1997	1.90	3.30	35	2.70	0.27	
						1998	1.60	3.30	35	2.58	1.57	
						1999	1.60	3.10	35	2.46	0.23	
						2000	2.00	3.10	18	2.63	0.21	
						2001	1.30	3.10	18	2.32	0.29	
						2002	1.90	3.10	49	2.58	0.20	
						2003	1.70	3.00	49	2.44	0.23	
						2004	1.80	2.40	49	2.14	0.31	
						2005	1.90	2.40	64	2.18	0.31	
						2006	1.40	2.40	64	1.97	0.49	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-95	001870	002.145	002.235	N	2001	2.00		68	2.00	0.16	
						2002	2.00	5.00	68	3.50	0.16	
						2003	2.00	5.00	49	3.81	0.16	
						2004	2.00	5.00	49	3.81	0.16	
						2005	1.20	5.00	50	3.50	0.19	
						2006	1.30	5.00	50	3.54	0.22	
2	U.S.-95	005659	009.970	010.000	N	1997	1.90	2.90	37	2.49	0.27	
						1998	1.60	2.90	44	2.37	1.57	
						1999	2.30	5.00	29	3.91	0.22	
						2000	2.00	5.00	68	3.79	0.21	
						2001	1.30	5.00	68	3.51	0.29	
						2002	1.90	5.00	68	3.75	0.20	
						2003	1.70	5.00	49	3.67	0.23	
						2005	1.90	5.00	50	3.75	0.31	
						2006	1.40	5.00	50	3.55	0.49	
2	U.S.-95	006330	000.000	000.551	N	1997	2.40	1.00	49	1.52	0.25	
						1998	2.30	1.00	49	1.48	0.25	
						1999	2.10	1.00	51	1.41	0.30	
						2000	2.50	1.00	51	1.56	0.15	
						2001	2.50	1.00	49	1.56	0.14	
						2002	2.10	1.00	49	1.41	0.17	
						2003	2.30	1.00	49	1.48	0.14	
						2004	1.90	1.00	49	1.33	0.19	
						2005	2.00	1.00	45	1.37	0.19	
						2006	1.10	1.00	45	1.03	0.16	
2	U.S.-95	006330	000.551	000.781	N	1997	2.90	1.00	49	1.71	0.16	
						1998	2.70	1.00	49	1.64	0.18	
						1999	2.60	1.00	51	1.60	0.18	
						2000	2.70	1.00	51	1.64	0.18	
						2001	2.70	1.00	43	1.64	0.18	
						2002	2.40	1.00	43	1.52	0.16	
						2003	2.30	1.00	43	1.48	0.17	
						2004	2.30	1.00	43	1.48	0.19	
						2005	2.40	1.00	45	1.52	0.18	
						2006	2.50	1.00	45	1.56	0.18	
2	U.S.-95	006416	344.767	345.017	N	2001	1.60	5.00	18	3.56	0.12	
						2002	1.80	5.00	49	3.63	0.14	
						2003	1.90	5.00	49	3.66	0.13	
						2004	1.60	5.00	49	3.53	0.13	
						2005	1.50	5.00	37	3.48	0.16	
						2006	1.50	5.00	37	3.48	0.26	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	U.S.-95	006418	000.500	000.670	N	1997	2.50	5.00	37	3.93	0.09	
						1998	2.50	5.00	44	3.93	0.16	
						1999	2.40	4.50	29	3.60	0.20	
						2000	2.40	4.50	68	3.60	0.23	
						2001	2.40	4.50	68	3.60	0.17	
						2002	2.40	4.00	68	3.31	0.17	
						2003	2.40	4.00	49	3.31	0.17	
						2004	2.40	4.00	49	3.31	0.17	
						2005	1.90	4.00	50	3.09	0.31	
						2006	1.40	4.00	50	2.88	0.49	
2	U.S.-95	008605	263.825	267.496	N	1997	3.50	5.00	44	4.28	0.12	
						1998	3.40	5.00	50	4.23	0.15	
						1999	3.40	5.00	48	4.23	0.17	
						2000	3.50	5.00	48	4.28	0.21	
						2001	3.60	5.00	48	4.33	0.23	
						2002	3.50	4.90	48	4.23	0.24	
						2003	3.50	4.90	52	4.23	0.24	
						2004	3.50	4.90	52	4.23	0.31	
						2005	3.40	4.90	44	4.18	0.29	
						2006	3.50	4.60	44	4.07	0.30	
2	U.S.-95	008605	267.496	273.735	N	1997	3.50	5.00	42	4.28	0.09	
						1998	3.40	4.80	50	4.13	0.12	
						1999	3.40	4.00	49	3.71	0.13	SEALCOAT
						2000	3.30	3.80	49	3.56	0.15	1999
						2001	3.30	3.80	49	3.56	0.16	
						2002	3.20	2.50	49	2.83	0.17	
						2003	3.10	2.30	49	2.68	0.17	
						2004	3.10	2.00	49	2.52	0.21	
						2005	3.10	2.00	44	2.52	0.21	
						2006	3.00	2.00	44	2.47	0.23	
2	S.H.-99	001880	000.000	002.723	N	1997	3.00	2.60	42	2.75	0.28	
						1998	3.20	2.60	42	2.82	0.39	
						1999	3.60	5.00	70	4.47	0.11	
						2000	3.40	5.00	70	4.39	0.11	
						2001	3.50	5.00	55	4.43	0.11	
						2002	3.50	5.00	55	4.43	0.12	
						2003	3.50	5.00	55	4.43	0.11	
						2004	3.40	5.00	55	4.39	0.14	
2005	3.40	4.90	45	4.33	0.12							
2006	3.40	4.90	45	4.33	0.14							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	S.H.-99	001880	002.723	011.686	N	1997	3.10	2.00	41	2.41	0.13		
						1998	3.20	2.00	36	2.45	0.31		
						1999	3.70	5.00	67	4.51	0.06	PLANT MIX OVERLAY	1999
						2000	3.80	5.00	67	4.54	0.04		
						2001	3.80	5.00	53	4.54	0.05		
						2002	3.70	5.00	53	4.51	0.05		
						2003	3.70	5.00	53	4.51	0.05		
						2004	3.70	5.00	53	4.51	0.07		
						2005	3.70	5.00	45	4.51	0.07		
						2006	3.60	4.80	45	4.34	0.10		
2	128	006780	000.000	000.075	N	1997	3.10	4.30	41	3.81	0.13		
						1998	3.20	4.30	36	3.85	0.31	SEALCOAT	1998
						1999	3.70	4.30	67	4.05	0.06		
						2000	3.80	4.30	67	4.09	0.04		
						2001	3.80	4.30	46	4.08	0.05		
						2002	3.70	4.30	46	4.04	0.05		
						2003	3.70	4.30	46	4.05	0.05		
						2004	3.70	4.00	46	3.87	0.07		
						2005	3.70	4.00	45	3.87	0.07		
						2006	3.60	4.00	45	3.83	0.10		
2	128	006780	000.075	000.125	N	*1997	3.50	5.00	41	4.38	0.12	NEW CONST OR RECONST (FLEX)	1997
						1998	2.50	5.00	47	3.97	0.18	SEALCOAT	1998
						1999	2.40	5.00	47	3.93	0.21		
						2000	2.50	5.00	47	3.97	0.18		
						2001	2.50	4.80	47	3.83	0.23		
						2002	2.90	4.80	46	4.00	0.22		
						2003	3.00	4.80	46	4.06	0.19		
						2004	2.80	4.80	46	3.98	0.25		
						2005	2.70	4.80	45	3.93	0.28		
						2006	2.50	4.80	45	3.86	0.34		
2	128	006780	000.375	000.881	N	1997	3.00	4.30	30	3.81	0.19	NEW CONST OR RECONST (FLEX)	1997
						1998	3.00	4.30	39	3.81	0.27	SEALCOAT	1998
						1999	3.10	4.30	38	3.83	0.22		
						2000	3.10	3.00	38	3.03	0.28		
						2001	3.10	3.00	29	3.03	0.27		
						*2002	3.00	3.00	29	3.00	0.30		
						2003	3.60	4.80	33	4.30	0.25		
						2004	3.60	4.50	33	4.13	0.30		
						2005	3.50	2.40	45	2.85	0.31		
						2006	3.40	2.40	45	2.80	0.34		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	128	006780	000.881	002.093	N	1997	3.00	4.30	30	3.81	0.19	SEALCOAT	1998
						1998	3.00	4.30	39	3.81	0.27		
						1999	3.10	4.30	38	3.83	0.22		
						2000	3.10	3.00	38	3.03	0.28		
						2001	3.10	3.00	29	3.03	0.27		
						*2002	3.00	3.00	29	3.00	0.30		
						2003	3.20	3.00	28	3.07	0.29		
						2004	3.20	2.40	28	2.69	0.25		
2	128	006780	002.093	002.198	N	1997	2.50	4.00	33	3.44	0.18	SEALCOAT	1998
						1998	2.40	4.00	33	3.41	0.19		
						1999	2.30	4.00	38	3.37	0.15		
						2000	2.70	4.00	38	3.52	0.21		
						2001	2.50	4.00	29	3.44	0.17		
						2002	2.30	4.00	29	3.37	0.21		
						2003	2.80	4.00	28	3.55	0.23		
						2004	2.60	4.00	28	3.48	0.16		
2	128	006800	000.000	000.095	N	1997	3.10	5.00	41	4.20	0.13		
						1998	2.40	5.00	33	3.91	0.19		
						1999	2.30	5.00	38	3.96	0.15		
						2000	2.70	5.00	38	4.03	0.21		
						2001	2.50	4.50	29	3.66	0.17		
						2002	2.30	4.50	29	3.58	0.21		
						2003	2.80	4.50	28	3.79	0.23		
						2004	2.60	4.50	28	3.70	0.16		
2	128	025238	000.125	000.375	N	1998	3.60	5.00	47	4.48	0.19	SEALCOAT	1998
						1999	3.50	5.00	47	4.60	0.19		
						2000	3.50	5.00	47	4.44	0.20		
						2001	3.40	4.80	47	4.26	0.25		
						2002	3.20	4.80	46	4.18	0.26		
						2003	3.30	4.80	46	4.24	0.30		
						2004	3.40	4.80	46	4.28	0.37		
						2005	3.30	4.80	45	4.24	0.36		
2006	3.20	4.80	45	4.21	0.33								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	162	001940	030.819	030.952	N	1997	2.10	1.50	30	1.72	0.15	
						1998	2.00	1.50	55	1.68	0.16	
						1999	2.50	1.50	45	1.87	0.17	
						2000	2.40	1.50	45	1.84	0.17	
						2001	2.10	1.50	45	1.72	0.20	
						2002	2.10	1.50	45	1.72	0.20	
						2003	2.10	1.50	51	1.72	0.20	
						2004	2.10	1.50	51	1.72	0.20	
						2005	3.60	1.50	45	2.29	0.34	
						2006	3.60	1.50	45	2.29	0.34	
2	162	001940	030.952	031.077	N	1997	2.10	2.40	30	2.28	0.31	
						1998	2.20	1.50	55	1.76	0.13	
						1999	2.10	1.50	45	1.72	0.19	
						2000	2.20	1.50	45	1.76	0.15	
						2001	2.50	1.50	45	1.87	0.21	
						2002	1.90	1.50	45	1.65	0.21	
						2003	1.90	1.50	51	1.65	0.20	
						2004	2.00	1.50	51	1.69	0.24	
						2005	2.10	1.50	45	1.72	0.30	
						2006	2.10	1.50	45	1.72	0.25	
2	162	001950	000.000	000.456	N	1997	2.60	1.30	62	1.78	0.17	
						1998	2.60	1.30	53	1.78	0.19	
						1999	2.60	1.30	53	1.78	0.20	
						2000	2.60	1.30	53	1.78	0.20	
						2001	2.60	1.30	41	1.78	0.20	
						2002	2.50	1.30	41	1.75	0.22	
						2003	2.50	1.30	41	1.75	0.20	
						2004	2.30	1.30	41	1.67	0.19	
						2005	2.30	1.30	45	1.67	0.19	
						2006	2.10	1.30	45	1.60	0.23	
2	162	001950	000.456	003.786	N	1997	2.90	3.00	60	2.95	0.13	
						1998	2.90	3.00	63	2.95	0.13	
						1999	2.90	3.00	58	2.95	0.14	
						2000	2.90	3.00	58	2.95	0.13	
						2001	2.90	3.00	53	2.95	0.14	
						2002	3.00	3.00	53	3.00	0.17	
						2003	2.90	3.00	53	2.95	0.15	
						2004	2.90	3.00	53	2.95	0.16	
2005	2.90	3.00	45	2.95	0.15							
2006	2.80	3.00	45	2.91	0.15							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	162	001950	003.786	005.573	N	1997	2.70	1.70	57	2.11	0.10		
						1998	2.50	1.70	57	2.03	0.11		
						1999	2.50	1.70	53	2.03	0.12		
						2000	2.60	1.70	53	2.07	0.11		
						2001	2.60	1.70	50	2.07	0.13		
						2002	2.60	1.70	50	2.07	0.13		
						2003	2.70	1.70	50	2.11	0.14		
						2004	2.60	1.70	50	2.07	0.12		
						2005	2.70	1.70	45	2.11	0.12		
						2006	2.70	1.70	45	2.11	0.13		
2	162	001950	005.573	007.086	N	1997	2.40	2.40	51	2.40	0.14		
						1998	2.30	2.40	51	2.35	0.18		
						1999	2.30	2.40	48	2.35	0.18		
						2000	2.40	2.30	48	2.34	0.17		
						2001	2.30	2.30	51	2.30	0.17		
						2002	2.50	2.30	51	2.38	0.18		
						2003	2.40	2.30	51	2.34	0.18		
						2004	2.40	2.30	51	2.34	0.18		
						2005	2.40	2.30	45	2.34	0.17		
						2006	2.40	2.30	45	2.34	0.18		
2	162	001950	007.086	008.000	N	1997	2.60	3.00	48	2.83	0.18		
						1998	2.50	3.00	65	2.79	0.18		
						1999	2.50	3.00	63	2.79	0.17		
						2000	2.60	2.90	63	2.77	0.20		
						2001	2.50	2.90	39	2.73	0.24		
						2002	2.60	2.90	39	2.77	0.20		
						2003	2.60	2.90	39	2.77	0.20		
						2004	2.60	2.60	39	2.60	0.21		
						2005	2.60	2.60	45	2.60	0.18		
						2006	2.50	2.60	45	2.55	0.21		
2	162	001950	008.000	008.780	N	1997	2.90	1.60	42	2.13	0.27		
						1998	3.20	1.60	64	2.26	0.15	SEALCOAT	1998
						1999	3.10	1.60	65	2.21	0.14		
						2000	3.00	1.60	65	2.17	0.16		
						2001	2.90	1.60	54	2.13	0.16		
						2002	2.50	1.60	54	1.97	0.14		
						2003	2.50	1.60	54	1.97	0.16		
						2004	2.80	1.60	54	2.09	0.12		
						2005	2.70	1.60	45	2.05	0.12		
						2006	2.60	1.60	45	2.01	0.16		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
2	162	001950	008.780	013.748	N	1997	3.00	1.40	43	2.06	0.25	SEALCOAT	1998
						1998	3.10	1.40	59	2.10	0.20		
						1999	3.00	1.40	62	2.06	0.20		
						2000	3.10	1.40	62	2.10	0.23		
						2001	3.10	1.40	42	2.10	0.19		
						2002	3.10	1.40	42	2.10	0.22		
						2003	3.10	1.40	42	2.10	0.20		
						2004	3.10	1.40	42	2.10	0.23		
						2005	3.00	1.40	45	2.06	0.23		
2	162	001950	013.748	020.563	N	1997	2.70	1.50	41	1.99	0.22	SEALCOAT	1998
						1998	2.80	1.50	56	2.03	0.15		
						1999	2.80	1.50	59	2.03	0.17		
						2000	2.80	1.50	59	2.03	0.16		
						2001	2.80	1.50	47	2.03	0.18		
						2002	2.80	1.50	47	2.03	0.21		
						2003	2.90	1.50	47	2.07	0.18		
						2004	2.80	1.50	47	2.03	0.23		
						2005	2.90	1.50	45	2.07	0.20		
2	162	001950	020.563	022.199	N	1997	2.50	1.20	32	1.73	0.33	SEALCOAT	1998
						1998	3.10	1.20	54	1.98	0.11		
						1999	3.00	1.20	59	1.94	0.21		
						2000	3.00	1.20	59	1.94	0.18		
						2001	3.00	1.20	51	1.94	0.21		
						2002	2.80	1.20	51	1.86	0.26		
						2003	3.00	1.20	51	1.94	0.22		
						2004	3.00	1.20	51	1.94	0.24		
						2005	3.00	1.20	45	1.94	0.19		
2	162	001950	022.199	022.813	N	1997	2.80	1.40	30	1.92	0.30	SEALCOAT	1998
						1998	3.30	1.40	55	2.11	0.10		
						1999	3.30	1.40	57	2.11	0.17		
						2000	3.30	1.40	57	2.11	0.15		
						2001	3.20	1.40	51	2.07	0.20		
						2002	3.10	1.40	51	2.04	0.22		
						2003	3.20	1.40	51	2.07	0.18		
						2004	3.10	1.40	51	2.04	0.25		
						2005	3.00	1.40	45	2.00	0.24		
2006	3.00	1.40	45	2.00	0.26								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
2	162	001950	022.813	023.065	N	1997	3.00	1.90	30	2.31	0.46	
						1998	3.80	1.90	55	2.61	0.11	SEALCOAT
						1999	3.70	1.90	45	2.57	0.26	
						2000	3.70	1.90	45	2.57	0.19	
						2001	3.50	1.90	45	2.50	0.28	
						2002	3.10	1.90	45	2.35	0.24	
						2003	3.60	1.90	51	2.54	0.21	
						2004	3.50	1.90	51	2.50	0.24	
						2005	3.60	1.90	45	2.54	0.34	
						2006	3.60	1.90	45	2.54	0.34	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH	REMARKS
---	-------	--------------	-----------------------	--------------------	-----	------	----	----	----	--------------------------	---------